

CUSTOMS AND EXCISE DUTY ACT
(Cap. 50:01)

AMENDMENT OF SCHEDULES (No. 12) NOTICE, 1988
(Published on 3rd June, 1988)

IN EXERCISE of the powers conferred on the Minister of Finance and Development Planning by sections 50 and 51 of the Customs and Excise Duty Act, the Schedules to the Act are amended to the extent set out in the Schedule below.

SCHEDULE

Schedule No. 1 to the Act

HEAD- ING	SUBHEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	R A T E O F FISCAL DUTY
32.12			By the substitution for sub- heading No. 3212.90.10 of the following:		
	.10	7	Aluminium powders or flakes dispersed in non-aqueous media	kg	30%
76.04, 76.05 and 76.06 *76.04			By the substitution for headings Nos. 76.04, 76.05 and 76.06 of the following:		
	7604.10		ALUMINIUM BARS, RODS AND PROFILES.		
	.10	5	Of aluminium, not alloyed: Circular rod, in coils without spools, of a mass exceeding 800 kg per coil	kg	20%
76.04	7604.10				
	.20	2	Bars and other rods, of a maximum cross-section- al dimension exceeding 7,5 mm but less than 12,5 mm	kg	20%
	.30	9	Bars and other rods, of a maximum cross-section- al dimension of 12,5 mm or more but not excee- ding 160 mm	kg	30%

HEAD- ING	SUBHEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	R A T E O F FISCAL DUTY
	.40	7	Other bars and rods	kg	free
	.50	4	Hollow profiles, of an outside cross-sectional dimension of 6,5 mm or more but not exceeding 230 mm	kg	25%
	.60	1	Profiles (excluding hollow profiles) of a maximum cross-sectional dimension not exceeding 370 mm	kg	30%
	.90	3	Other	kg	free
7604.2			Of aluminium alloys:		
7604.21			Hollow profiles:		
	.10	6	Of an outside cross-sectional dimension of 6,5 mm or more but not exceeding 230 mm and containing, by mass, not more than - 6 per cent of copper or 6 per cent of magnesium, or 2 per cent of silicon, or 8,5 per cent of zinc, or 2 per cent of manganese, or 2 per cent of lead, or 4 per cent of titanium, or 0,5 per cent of boron	kg	25%
	.90	4	Other	kg	free
7604.29			Other:		
	.10	7	Circular rod, in coils without spools, of a mass exceeding 800 kg per coil, of a cross-sectional dimension of 9,5 mm or more but not exceeding 14,6 mm, containing, by mass, more than 0,3 per cent of magnesium	kg	free

HEAD- ING	SUBHEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	R A T E O F FISCAL DUTY
	.20	4	Other circular rod, in coils without spools, of a mass exceeding 800 kg per coil	kg	20%
	7604.29				
	.30	1	Bars and other rods, of a maximum cross-sectional dimension exceeding 7,5 mm but less than 12,5 mm (excluding products containing, by mass, more than - 6 per cent of copper, or 6 per cent of magnesium, or 2 per cent of silicon, or 8,5 per cent of zinc, or 2 per cent of manganese, or 2 per cent of lead, or 4 per cent of titanium, or 0,5 per cent of boron)	kg	20%
	.40	9	Bars and other rods, of a maximum cross-sectional dimension of 12,5 mm or more but not exceeding 160 mm (excluding products containing by mass, more than - 6 per cent of copper, or 6 per cent of magnesium, or 2 per cent of silicon, or 8,5 per cent of zinc, or 2 per cent of manganese, or 2 per cent of lead, or 4 per cent of titanium, or 0,5 per cent of boron)	kg	30%
	7604.29				
	.50	6	Other bars and rods	kg	free
	.60	3	Profiles, of a maxi-	kg	30%

HEAD- ING	SUBHEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	R A T E O F FISCAL DUTY
			mum cross-sectional dimension not excee- ding 370 mm (exclu- ding products con- taining, by mass, more than - 6 per cent of copper, or 6 per cent of mag- nesium, or 2 per cent of silicon, or 8,5 per cent of zinc)		
76.05	.90	5	Other	kg	free
			ALUMINIUM WIRE.		
	7605.1		Of aluminium, not alloyed:		
	7605.11		Of which the maximum cross-sectional dimen- sion exceeds 7 mm:		
	.10	5	Of a mass exceeding 20 kg/coil	kg	25%
	.90	3	Other	kg	free
	7605.19		Other:		
	.10	6	Of a mass exceeding 20 kg/coil	kg	25%
	.90	4	Other	kg	free
	7605.2		Of aluminium alloys:		
	7605.21		Of which the maxi- mum cross-sectional dimension exceeds 7 mm:		
	.10	8	Of a mass exceeding 20 kg/coil	kg	25%
	.90	8	Other	kg	free
	7605.29		Other:		
	.10	0	Of a mass exceeding 20 kg/coil	kg	25%
	.90	9	Other	kg	free
76.06			ALUMINIUM PLATES, SHEETS AND STRIP, OF A THICKNESS EXCEEDING 0,2 mm.		
	7606.1		Rectangular (including square):		
	7606.11		Of aluminium, not alloyed:		

HEAD- ING	SUBHEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	R A T E O F FISCAL DUTY
	.05	2	Non-slip flooring with patterns in relief (tread plate)	kg	free
	.10	9	Other, containing, by mass, more than 99,9 per cent of aluminium	kg	free
	.15	7	Other, of a thickness exceeding 0,4 mm, coated on one or both sides with paint or enamel, with a corrugated or other profile configuration, not coiled	kg	25% or 640u/ kg less 75%
	.20	6	Other, not coated with paint or enamel, with a corrugated or other profile configuration, not coiled	kg	25% or 490u/ kg less 75%
	.25	7	Other, with a corru- gated or other profile configuration, not coiled	kg	free
7606.11	.30	3	Other, of a thick- ness exceeding 0,4 mm, coated on one side with paint or enamel, not coiled	kg	25% or 310u/ kg less 75%
	.35	4	Other, of a thick- ness exceeding 0,4 mm, coated on both sides with paint or enamel, not coiled	kg	25% or 320u/ kg less 75%
	.40	0	Other, not coated with paint or enamel, not coiled	kg	25% or 440u/ kg less 75%
	.45	1	Other, coiled, of a thickness exceeding 0,4 mm, coated on	kg	25% or 590u/ kg less 75%

HEAD- ING	SUBHEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	R A T E O F FISCAL DUTY
			one side with paint or enamel (excluding those which are per- forated)		
	.50	8	Other, coiled, of a thickness exceeding 0,4 mm, coated on both sides with paint or enamel (excluding those which are perforated)	kg	25% or 590u/ kg less 75%
	.55	9	Other, coiled, not coated with paint or enamel	kg	25% or 440u/ kg less 75%
	.90	7	Other		free
7606.12	.05	9	Of aluminium alloys: Non-slip flooring with patterns in relief (tread plate)	kg	free
	.10	5	Other, of a thick- ness exceeding 0,4 mm, coated on one or both sides with paint or enamel, with a corrugated or other profile configuration, not coiled	kg	25% or 640u/ kg less 75%
	.15	6	Other, not coated with paint or enamel, with a corrugated or other profile confi- guration, not coiled	kg	25% or 490u/ kg less 75%
	.20	2	Other, with a corru- gated or other profile configura- tion, not coiled	kg	free
	.25	3	Other, containing, by mass, more than 0,5 per cent of		

HEAD- ING	SUBHEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	R A T E O F FISCAL DUTY
			copper, or 6 per cent of magnesium or 4 per cent of silicon		
	.30	7	Other, of a thickness exceeding 0,4 mm, coated on one side with paint or enamel, not coiled	kg	25% or 310u/ kg less 75%
	7606.12				
	.35	0	Other, of a thickness exceeding 0,4 mm, coated on both sides with paint or enamel, not coiled	kg	25% or 320u/ kg less 75%
	.40	7	Other, of a thickness exceeding 0,25 mm but not exceeding 0,5 mm, containing by mass, not less than 3 per cent but not more than 5 per cent of magnesium and not more than 0,5 per cent of manganese, not coiled		25% or 440u/ kg less 75%
	.45	8	Other, not coated with paint or enamel, not coiled	kg	25% or 440u/ kg less 75%
	.50	4	Other, coiled, of a thickness exceeding 0,4mm, coated on one side with paint or enamel (excluding those which are perforated)	kg	25% or 590u/ kg less 75%
	7606.12				
	.55	5	Other, coiled, of a thickness exceeding 0,4 mm, coated on both sides with	kg	25% or 590u/ kg less 75%

HEAD- ING	SUBHEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	R A T E O F FISCAL DUTY
			paint or enamel (excluding those which are perfor- ated)		
	.60	1	Other, coiled, of a thickness excee- ding 0,25 mm but not exceeding 0,5 mm, containing, by mass, not less than 3 per cent but not more than 5 per cent of magnesium and not more than 0,5 per cent of manganese (exclu- ding those which are perforated and coated with paint or enamel)	kg	25% or 480u/ kg less 75%
	.65	2	Other, coiled, not coated with paint or enamel	kg	25% or 440u/ kg less 75%
	.90	3.	Other	kg	free
7606.9			Other:		
7606.91			Of aluminium, not alloyed:		
	.05	9	Non-slip flooring with patterns in relief (tread plate)	kg	free
7606.91					
	.10	5	Other, containing, by mass, more than 99,9 per cent of aluminium	kg	free
	.15	6	Other, of a thick- ness exceeding 0,4 mm, coated on one or both sides with paint or enamel, with a corrugated or other profile configuration, not coiled	kg	25% or 640u/ kg less 75%

HEAD- ING	SUBHEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	R A T E O F FISCAL DUTY
	.20	2	Other, not coated with paint or enamel, with a corrugated or other profile configuration, not coiled	kg	25% or 490u/ kg less 75%
	.25	3	Other, with a corrugated or other profile configuration, not coiled	kg	free
	.30	3	Other circles, of a diameter not exceeding 1,25 m and of a thickness not exceeding 9 mm	kg	25% or 465u/ kg less 75%
	.35	0	Other, of a thickness exceeding 0,4 mm but not exceeding 10 mm, coated on one side with paint or enamel, not coiled	kg	25% or 310u/ kg less 75%
	.40	7	Other, of a thickness exceeding 0,4 mm but not exceeding 10 mm, coated on both sides with paint or enamel, not coiled	kg	25% or 320u/ kg less 75%
	7606.91				
	.45	8	Other, not coated with paint or enamel, not coiled	kg	25% or 440u/ kg less 75%
	.50	4	Other, coiled, of a thickness exceeding 0,4 mm, coated on one side with paint or enamel (excluding those which are perforated)	kg	25% or 590u/ kg less 75%
	.55	5	Other, coiled, of a thickness exceeding 0,4 mm, coated on both sides with paint or enamel (excluding those which are perforated)	kg	25% or 590u/ kg less 75%

HEAD- ING	SUBHEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	R A T E O F FISCAL DUTY
	.60	1	Other, coiled, of a thickness exceeding 0,2 mm, not coated with paint or enamel	kg	25% or 440u/ kg less 75%
	.90	3	Other	kg	free
7606.92	.05	5	Of aluminium alloys: Non-slip flooring with patterns in relief (tread plate)	kg	free
7606.92	.10	1	Other, of a thickness exceeding 0,4 mm, coated on one or both sides with paint or enamel, with a corrugated or other profile configuration, not coiled	kg	25% or 640u/ kg less 75%
	.15	2	Other, not coated with paint or enamel, with a corrugated or other profile configuration, not coiled	kg	25% or 490u/ kg less 75%
	.20	9	Other, with a corrugated or other profile configuration, not coiled	kg	free
	.25	2	Other, containing, by mass, more than 0,5 per cent of copper, 6 per cent of magnesium or 4 per cent of silicon	kg	free
	.30	6	Other circles, of a diameter not exceeding 1,25 m and of a thickness not exceeding 9 mm	kg	25% or 465u/ kg less 75%
	.35	7	Other, of a thickness exceeding 0,4 mm,	kg	25% or 310u/ kg less 75%

HEAD- ING	SUBHEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	R A T E O F FISCAL DUTY
	7606.92		but not exceeding 10 mm coated on one side with paint or enamel, not coiled		
	.40	3	Other, of a thickness exceeding 0,4 mm but not exceeding 10 mm, coated on both sides with paint or enamel, not coiled	kg	25% or 320u/ kg less 75%
	.45	4	Other, of a thickness exceeding 0,25 mm but not exceeding 0,5 mm, containing, by mass, not less than 3 per cent but not more than 5 per cent of magnesium and not more than 0,5 per cent of manganese, not coiled	kg	25% or 440u/ kg less 75%
	.50	0	Other, not coated with paint or enamel, not coiled	kg	25% or 440u/ kg less 75%
	.55	1	Other, coiled, of a thickness exceeding 0,4 mm, coated on one side with paint or enamel (excluding those which are per- forated)	kg	25% or 590u/ kg less 75%
	.60	8	Other, coiled, of a thickness exceeding 0,4 mm, coated on both sides with paint or enamel (excluding those which are per- forated)	kg	25% or 590u/ kg less 75%
	7606.92				
	.65	9	Other, coiled, of a thickness exceeding 0,25 mm but not ex- ceeding 0,5 mm,	kg	25% or 480u/ kg less 75%

HEAD- ING	SUBHEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	R A T E O F FISCAL DUTY
--------------	------------	----------	---------------------	--------------------------	-------------------------------

containing, by mass,
not less than 3 per
cent but not more
than 5 per cent of
magnesium and not
more than 0,5 per
cent of manganese
(excluding those
which are
perforated and coated
with paint or enamel)

.70	5	Other, coiled, of a thickness exceeding 0,2 mm, not coated with paint or enamel	kg	25% or 440u/ kg less 75%
.90	1	Other	kg	free"

76.07

By the substitution for sub-
heading No. 7607.1 of the
following:

"7607.1		Not backed:		
7607.11	5	Rolled but not further worked	kg	25% or 530u/ kg less 75%
7607.19		Other:		
.10	3	Etched, of a width not exceeding 105 mm	kg	free
.20	0	Of a thickness of 0,1 mm or more but not exceeding 0,15 mm and a width not excee- ding 40 mm, lacquered on one side only, not etched or printed	kg	25% or 530u/ kg less 75%
.25	1	Other, self-adhesive, coated with glass microspheres	kg	free
.30	8	Other, unprinted	kg	25% or 530u/ kg less 75%
.90	1	Other	kg	25% or 275u/ kg less 75%"

76.08

By the substitution for
heading No. 76.08 of the
following

HEAD- ING	SUBHEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	R A T E O F FISCAL DUTY
*76.08			ALUMINIUM TUBES AND PIPES.		
	7608.10	2	Of aluminium, not alloyed	kg	25%
	7608.20		Of aluminium, alloys:		
	.10	4	Of an outside cross-sectional dimension of 6,5 mm or more but not exceeding 230 mm, containing, by mass, not more than -	kg	25%
	7608.20				
	.10		6 per cent of copper, or 6 per cent of magnesium, or 2 per cent of silicon, or 8,5 per cent of zinc, or 2 per cent of manganese, or 2 per cent of lead, or 4 per cent of titanium, or 0,5 per cent of boron		
	.90	2	Other	kg	free"
76.14			By the substitution for heading No. 76.14 of the following:		
*76.14			STRANDED WIRE, CABLES, PLAITED BANDS AND THE LIKE, OF ALUMINIUM, NOT ELECTRICALLY INSULATED.		
	7614.10		With steel core:		
	.10	8	Stranded wire, cables, cordage and rope	kg	25%
	.90	6	Other	kg	20%
	7614.90		Other:		
	.10	4	Stranded wire, cables, cordage and rope	kg	25%
	.90	2	Other	kg	20%"
76.16			By the substitution for subheading No. 7616.90.15 of the following:		
	.15	2	Slugs for impact extrusion	kg	25%"

MADE this 5th day of May, 1988.

P.S. MMUSI,
*Vice-President and Minister of
Finance and Development Planning.*

L2/7/172 XXIV