

CUSTOMS AND EXCISE DUTY ACT
(Cap. 50:01)

AMENDMENT OF SCHEDULES (NO. 1) NOTICE, 1995
(Published on 13th January, 1995)

IN EXERCISE of the powers conferred on the Minister of Finance and Development Planning by sections 50 and 51 of the Customs and Excise Duty Act, the Schedules to the Act are amended to the extent set out in the Schedule below.

Schedule No. 1 to the Act

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
30.05			By the deletion of sub-heading No. 3005.90.20.		
72.01			By the substitution for heading No. 72.01 of the following:		
"72.01			Pig iron and spiegeleisen in pigs, blocks or other primary forms:		
	7201.10	5	Non-alloy pig iron containing by mass 0,5 per cent or less of phosphorous	kg	5%
	7201.20	4	Non-alloy pig iron containing by mass more than 0,5 per cent of phosphorous	kg	5%
	7201.30	9	Alloy pig iron	kg	5%
	7201.40	3	Spiegeleisen	kg	5%"
72.03			By the substitution for heading No. 72.03 of the following:		
"72.03			Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by mass of 99,94 per cent, in lumps, pellets or similar forms:		

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	7203.10	7	Ferrous products obtained by direct reduction of iron ore	kg	5%
	7203.90	3	Other	kg	5%
Sub-chapters II, III and IV			By the substitution for Sub-chapters II, III and IV of the following:		
			"Sub-chapter II Iron and non-alloy steel		
72.06			Iron and non-alloy steel in ingots or other primary forms (excluding iron of heading No. 72.03):		
	7206.10	8	Ingots	kg	10%
	7206.90	4	Other	kg	10%
72.07			Semi-finished products of iron or non-alloy steel:		
	7207.1		Containing by mass less than 0,25 per cent of carbon:		
	7207.11	8	Of rectangular (including square) cross-section, the width measuring less than twice the thickness	kg	15%
	7207.12	4	Other, of rectangular (excluding square) cross-section	kg	15%
	7207.19	9	Other	kg	15%
	7207.20	6	Containing by mass 0,25 per cent or more of carbon	kg	15%
72.08			Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated:		

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	7208.1		In coils, not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:		
	7208.11	1	Of a thickness exceeding 10 mm	kg	5%
	7208.12	8	Of a thickness of 4,75 mm or more but not exceeding 10 mm	kg	5%
	7208.13	4	Of a thickness of 3 mm or more but less than 4,75 mm	kg	5%
	7208.14	0	Of a thickness of less than 3 mm	kg	5%
	7208.2		Other, in coils, not further worked than hot-rolled:		
	7208.21	6	Of a thickness exceeding 10 mm	kg	5%
	7208.22	2	Of a thickness of 4,75 mm or more but not exceeding 10 mm	kg	5%
	7208.23	9	Of a thickness of 3 mm or more but less than 4,75 mm	kg	5%
	7208.24	5	Of a thickness of less than 3 mm	kg	5%
	7208.3		Not in coils, not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or a thickness of 3 mm or more and having a minimum yield point of 355 MPa:		
	7208.31	0	Rolled on four faces or in a closed box pass, of a width not exceeding 1 250 mm and of a thickness of not less than 4 mm, without patterns in relief	kg	5%

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	7208.32	7	Other, of a thickness exceeding 10 mm	kg	5%
	7208.33	3	Other, of a thickness of 4,75 mm or more but not exceeding 10 mm	kg	5%
	7208.34	8	Other, of a thickness of 3 mm or more but less than 4,75 mm	kg	5%
	7208.35		Other, of a thickness of less than 3 mm	kg	5%
	7208.4		Other, not in coils, not further worked than hot-rolled:		
	7208.41	5	Rolled on four faces or in a closed box pass, of a width not exceeding 1 250 mm and of a thickness of not less than 4 mm, without patterns in relief	kg	5%
	7208.42	1	Other, of a thickness exceeding 10 mm	kg	5%
	7208.43	8	Other, of a thickness of 4,75 mm or more but not exceeding 10 mm	kg	5%
	7208.44	4	Other, of a thickness of 3 mm or more but less than 4,75 mm	kg	5%
	7208.45	0	Other, of a thickness of less than 3 mm	kg	5%
	7208.90	1	Other	kg	5%
72.09			Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced), not clad, plated or coated:		
	7209.1		In coils, not further worked than cold-rolled (cold-reduced), of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:		

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	7209.11	5	Of a thickness of 3 mm or more	kg	5% or 167u/kg less 95%
	7209.12	1	Of a thickness exceeding 1 mm but less than 3 mm	kg	5% or 167u/kg less 95%
	7209.13	8	Of a thickness of 0,5 mm or more but not exceeding 1 mm	kg	5% or 167u/kg less 95%
	7209.14	4	Of a thickness of less than 0,5 mm	kg	5% or 167u/kg less 95%
	7209.2		Other, in coils, not further worked than cold-rolled (cold-reduced):		
	7209.21	9	Of a thickness of 3 mm or more	kg	5% or 167u/kg less 95%
	7209.22	6	Of a thickness exceeding 1 mm but less than 3 mm	kg	5% or 167u/kg less 95%
	7209.23	2	Of a thickness of 0,5 mm or more but not exceeding 1 mm	kg	5% or 167u/kg less 95%
	7209.24	9	Of a thickness of less than 0,5 mm	kg	5% or 167u/kg less 95%
	7209.3		Not in coils, not further worked than cold-rolled (cold-reduced), of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:		

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	7209.31	4	Of a thickness of 3 mm or more	kg	5% or 167u/kg less 95%
	7209.32	0	Of a thickness exceeding 1 mm but less than 3 mm	kg	5% or 167u/kg less 95%
	7209.33	7	Of a thickness of 0,5 mm or more but not exceeding 1 mm	kg	5% or 167u/kg less 95%
	7209.34	3	Of a thickness of less than 0,5 mm	kg	5% or 167u/kg less 95%
	7209.4		Other, not in coils, not further worked than cold-rolled (cold-rolled):		
	7209.41	9	Of a thickness of 3 mm or more	kg	5% or 167u/kg less 95%
	7209.42	5	Of a thickness exceeding 1 mm but less than 3 mm	kg	5% or 167u/kg less 95%
	7209.43	1	Of a thickness of 0,5 mm or more but not exceeding 1 mm	kg	5% or 167u/kg less 95%
	7209.44	8	Of a thickness of less than 0,5 mm	kg	5% or 167u/kg less 95%
	7209.90	5	Other	kg	5% or 167u/kg less 95%
72.10			Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated:		
	7210.1		Plated or coated with tin:		

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	7210.11	5	Of a thickness of 0,5 mm or more	kg	free
	7210.12	1	Of a thickness or less than 0,5 mm	kg	5%
	7210.20	3	Plated or coated with lead, including terne-plate	kg	free
	7210.3		Electrolytically plated or coated with zinc:		
	7210.31	4	Of steel of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa	kg	5% or 89,u/kg kg less 95%
	7210.39	5	Other	kg	5% or 89,4u/kg kg less 95%
	7210.4		Otherwise plated or coated with zinc:		
	7210.41	9	Corrugated	kg	5% or 194,5u/kg less 95%
	7210.49	0	Other	kg	5% or 194,5u/kg less 95%
	7210.50	7	Plated or coated with chromium oxides or with chromium and chromium oxides	kg	free
	7210.60	1	Plated or coated with aluminium	kg	5%
	7210.70	6	Painted, varnished or coated with plastics	kg	5%
	7210.90	5	Other	kg	5%
72.11			Flatrolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated:		

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	7211.1		Not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:		
	7211.11	9	Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief	kg	5%
	7211.12	5	Other, of a thickness of 4,75 mm or more	kg	5%
	7211.19	1	Other	kg	5%
	7211.2		Other, not further worked than hot-rolled:		
	7211.21	3	Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief	kg	5%
	7211.22	3	Other, of a thickness of 4,75 mm or more	kg	5%
	7211.29	4	Other	kg	5%
	7211.30	1	Not further worked than cold-rolled (cold-reduced), of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa	kg	5% or 70,6u/kg less 95%
	7211.4		Other, not further worked than cold-rolled (cold-reduced):		
	7211.41	2	Containing by mass less than 0,25 per cent of carbon	kg	5% or 70,6u/kg less 95%

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	7211.49	3	Other	kg	5% or 70,6u/kg less 95%
	7211.90	9	Other	kg	5% or 89,4u/kg less 95%
72.12			Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated:		
	7212.10		Plated or coated with tin:		
	.10	3	Of a thickness of 0,5 mm or more	kg	free
	.20	0	Of a thickness of less than 0,5 mm	kg	5%
	7212.2		Electrolytically plated or coated with zinc:		
	7212.21	7	Of steel of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa	kg	5% or 89,4u/kg less 95%
	7212.29	8	Other	kg	5% or 89,4u/kg less 95%
	7212.30	5	Otherwise plated or coated with zinc	kg	5% or 194,5u/ kg less 95%
	7212.40	2	Painted, varnished or coated with plastics	kg	5%
	7212.50		Otherwise plated or coated:		
	.05	5	Printed, lithographed or embossed	kg	15%
	.90	9	Other	kg	free
	7212.60	9	Clad	kg	free

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
72.13			Bars and rods, hot-rolled, in irregularly wound coils, of iron or non-alloy steel:		
	7213.10	3	Containing indentations, ribs, grooves or other deformations produced during the rolling process	kg	5%
	7213.20	4	Of free-cutting steel	kg	5%
	7213.3		Other, containing by mass less than 0,25 per cent of carbon:		
	7213.31	5	Of circular cross-section measuring less than 14 mm in diameter	kg	5%
	7213.39	6	Other	kg	5%
	7213.4		Other, containing by mass 0,25 per cent or more but less than 0,6 per cent of carbon:		
	7213.41	1	Of circular cross-section measuring less than 14 mm in diameter	kg	5%
	7213.49	0	Other	kg	5%
	7213.50	8	Other, containing by mass 0,6 per cent or more of carbon	kg	5%
72.14			Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling:		
	7214.10	3	Forged	kg	10%
	7214.20	8	Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling	kg	5%
	7214.30	2	Of free-cutting steel	kg	5%

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	7214.40	7	Other, containing by mass less than 0,25 per cent of carbon	kg	5%
	7214.50	1	Other, containing by mass 0,25 per cent or more but less than 0,6 per cent of carbon	kg	5%
	7214.60	6	Other, containing by mass 0,6 per cent or more of carbon	kg	5%
72.15			Other bars and rods of iron or non-alloy steel:		
	7215.10	7	Of free-cutting steel, not further worked than cold-formed or cold-finished	kg	5%
	7215.20	1	Other, not further worked than cold-formed or cold-finished, containing by mass less than 0,25 per cent of carbon	kg	5%
	7215.30	6	Other, not further worked than cold-formed or cold-finished, containing by mass 0,25 per cent or more but less than 0,6 per cent of carbon	kg	5%
	7215.40	0	Other, not further worked than cold-formed or cold-finished, containing by mass 0,6 per cent or more of carbon	kg	5%
	7215.90	3	Other	kg	5%
72.16.			Angles, shapes and sections of iron or non-alloy steel:		
	7216.10	0	U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm	kg	5%
	7216.2		L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm:		

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	7216.21	1	L sections	kg	5%
	7216.22	8	T sections	kg	5%
	7216.3		U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more:		
	7216.31	6	U sections	kg	5%
	7216.32	2	I sections	kg	5%
	7216.33	9	H sections	kg	5%
	7216.40	4	L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more	kg	5%
	7216.50	9	Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn or extruded	kg	5%
	7216.60	3	Angles, shapes and sections, not further worked than cold-formed or cold-finished	kg	5%
	7216.90	7	Other	kg	5%
72.17			Wire of iron or non-alloy steel:		
	7217.1		Containing by mass less than 0,25 per cent of carbon:		
	7217.11	0	Not plated or coated, whether or not polished	kg	5%
	7217.12	7	Plated or coated with zinc	kg	5%
	7217.13	3	Plated or coated, with other base metals	kg	5%
	7217.19	1	Other	kg	5%
	7217.2		Containing by mass 0,25 per cent or more but less than 0,6 per cent of carbon:		

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	7217.21	5	Not plated or coated, whether or not polished	kg	5%
	7217.22	1	Plated or coated with zinc	kg	5%
	7217.23	8	Plated or coated with other base metals	kg	5%
	7217.29	6	Other	kg	5%
	7217.3		Containing by mass 0,6 per cent or more of carbon:		
	7217.31	9	Non plated or coated, whether or not polished	kg	15%
	7217.32	6	Plated or coated with zinc	kg	15%
	7217.33	2	Plated or coated with other base metals	kg	5%
	7217.39	0	Other	kg	5%
			Sub-chapter III stainless steel		
72.18			Stainless steel in ingots or other primary forms; semi- finished products of stainless steel:		
	7218.10	8	Ingots and other primary forms	kg	20%
	7218.90		Other:		
	.10	1	Of rectangular (including square) cross-section, the width measuring less than twice the thickness	kg	20%
	.20	9	Other, of rectangular (ex- cluding square) cross- section	kg	20%
	.30	6	Other, roughly shaped by forging	kg	10%
	.90	3	Other	kg	20%
72.19			Flat-rolled products of stainless steel, of a width of 600 mm or more:		

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	7219.1		Not further worked than hot-rolled, in coils:		
	7219.11	8	Of a thickness exceeding 10 mm	kg	10%
	7219.12	4	Of a thickness of 4,75 mm or more but not exceeding 10 mm	kg	10%
	7219.13	0	Of a thickness of 3 mm or more but less than 4,75 mm	kg	10%
	7219.14	7	Of a thickness of less than 3 mm	kg	10%
	7219.2		Not further worked than hot-rolled, not in coils:		
	7219.21	2	Of a thickness exceeding 10 mm	kg	10%
	7219.22	9	Of a thickness of 4,75 mm or more but not exceeding 10 mm	kg	10%
	7219.23	5	Of a thickness of 3 mm or more but less than 4,75 mm	kg	10%
	7219.24	1	Of a thickness of less than 3 mm	kg	10%
	7219.3		Not further worked than cold-rolled (cold-reduced):		
	7219.31	7	Of a thickness of 4,75 mm or more	kg	10%
	7219.32	3	Of a thickness of 3 mm or more but less than 4,75 mm	kg	10%
	7219.33	7	Of a thickness exceeding 1 mm but less than 3 mm	kg	10%
	7219.34	6	Of a thickness of 0,5 mm or more but not exceeding 1 mm	kg	10%
	7219.35	2	Of a thickness less than 0,5 mm	kg	10%
	7219.90	8	Other	kg	10%
72.20			Flat-rolled products of stainless steel, of a width of less than 600 mm:		

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	7220.1		Not further worked than hot-rolled:		
	7220.11	8	Of a thickness of 4,75 mm or more	kg	10%
	7220.12	4	Of a thickness of less than 4,75 mm	kg	10%
	7220.20	6	Not further worked than cold-rolled (cold-reduced)	kg	10%
	7220.90	8	Other	kg	10%
72.21	7221.00	0	Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel	kg	free
72.22			Other bars and rods of stainless steel; angles, shapes and sections of stainless steel:		
	7222.10	9	Bars and rods, not further worked than hot-rolled, hot-drawn or extruded	kg	free
	7222.20	3	Bars and rods, not further worked than cold-formed or cold-finished	kg	free
	7222.30	8	Other bars and rods	kg	free
	7222.40	2	Angles, shapes and sections	kg	free
72.23	7223.00	8	Wire of stainless steel	kg	free
			Sub-chapter IV Other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel		
72.24			Other alloy steel in ingots or other primary forms; semi-finished products of other alloy steel:		
	7224.10	6	Ingots and other primary forms	kg	15%
	7224.90	2	Other	kg	15%

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
72.25			Flat-rolled products of other alloy steel, of a width of 600 mm or more:		
	7225.10	1	Of silicon-electrical steel	kg	free
	7225.20	4	Of high speed steel	kg	free
	7225.30	9	Other, not further worked than hot-rolled, in coils	kg	5%
	7225.40		Other, not further worked than hot-rolled, not in coils:		
	.10	0	Of a thickness of less than 3 mm	kg	15%
	.90	9	Other	kg	5%
	7225.50	8	Other, not further worked than cold-rolled (cold- reduced)	kg	5% or 59,6u/kg less 5%
	7225.90		Other:		
	.20	0	Plated, coated or clad with lead	kg	free
	.30	8	Electrolitically plated or coated with zinc	kg	5% or 115u/kg less 95%
	.40	5	Otherwise plated, coated or clad with zinc	kg	5% or 89,4u/kg less 95%
	.60	5	Plated, coated or clad with aluminium	kg	free
	.90	1	Other	kg	5%
72.26			Flat-rolled products of other alloy steel, of a width of less than 600 mm:		
	7226.10	3	Of silicon-electrical steel	kg	free
	7226.20	8	Of high speed steel	kg	free

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	7226.9		Other:		
	7226.91	6	Not further worked than not-rolled	kg	5%
	7226.92		Not further worked than cold-rolled (cold-reduced):		
	.10	5	Of a thickness not less than 3 mm	kg	5% or 120u/kg less 95%
	.90	8	Other	kg	5% or 59,6u/kg less 95%
	7226.99		Other:		
	.10	4	Plated, coated or clad with tin	kg	5%
	.30	9	Plated or coated with zinc	kg	5% or 89,4u/kg less 95%
	.50	3	Plated, coated or clad with chromium or chro- mium and chromium oxides	kg	5%
	.90	2	Other	kg	free
72.27			Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel:		
	7227.10	7	Of high speed steel	kg	5%
	7227.20	1	Of silico-manganese steel	kg	5%
	7227.90	3	Other	kg	5%
72.28			Other bars and rods of other alloy steel; angles, shapes and sections, of other steel; hollow drill bars and rods, of alloy or non-alloy steel:		
	7228.10		Bars and rods, of high speed steel:		
	.20	5	Forged	kg	10%
	.90	6	Other	kg	5%

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	7228.20		Bars and rods, of silico- manganese steel:		
	.20	8	Forged	kg	10%
	.90	0	Other	kg	5%
	7228.30		Other bars and rods, not further worked than hot- rolled, hot-drawn or extruded:		
	.10	7	Of circular cross-section measuring less than 14 mm in diameter	kg	5%
	.20	4	Other, of lead-bearing free cutting steel, not in coils	kg	5%
	.90	5	Other	kg	10%
	7228.40	4	Other bars and rods, not further worked than forged	kg	10%
	7228.50	9	Other bars and rods, not further worked than cold- finished	kg	5%
	7228.60	3	Other bars and rods	kg	5%
	7228.70	8	Angles, shapes and sections	kg	5%
	7228.80	2	Hollow drill bars and rods	kg	5%
72.29			Wire of other alloy steel:		
	7229.10	4	Of high speed steel	kg	5%
	7229.20	9	Of silico-manganese steel	kg	5%
	7229.90	0	Other	kg	5%"
73.01 and 73.02			By the substitution for headings Nos. 73.01 and 73.02 of the following:		
"73.01			Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements: welded angles, shapes and section, of iron or steel:		

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	7301.10	1	Sheet piling	kg	5%
	7301.20	6	Angles, shapes and sections	kg	20%
73.02			Railway or tramway track construction material of iron or steel, the following: Rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers (cross-ties), fish-plates chairs, chair wedges, sole plates (base plates), rail clips, bedplates, ties and other material specialized for jointing or fixing rails:		
	7302.10	5	Rails	kg	5%
	7302.20	3	Sleepers (cross-ties)	kg	5%
	7302.30	4	Switch blades, crossing frogs, point rods and other crossing pieces	kg	5%
	7302.40	9	Fish-plates and sole plates	kg	5%
	7302.90	1	Other	kg	5%"

Part 4 of Schedule No. 1 to the Act

SUR- CHARGE ITEM	TARIFF HEADING	SUR- CHARGE CODE	DESCRIPTION	RATE OF SURCHARGE
177.00			By the substitution of surcharge code 02.00 to tariff heading No. 87.00 of the following:	
		"02.00	Goods of headings and sub-headings Nos. 87.01 (excluding subheading No. 8701.90), 87.02, 8703.21.25, 8703.22.25, 8703.23.25, 8703.24.25, 8703.31.25, 8703.31.50, 8703.32.25, 8703.32.50, 8703.33.25,	5%"

SUR-CHARGE ITEM	TARIFF HEADING CODE	SUR-CHARGE	DESCRIPTION	RATE OF SURCHARGE
177.00			8703.33.50, 8703.90.25, 8703.90.50, 87.04, 87.05, 87.06, 87.07, 87.08 (excluding subheadings Nos. 8708.31.30, 8708.39.50, 8708.40.10, 8708.50.30 and 8708.70.10), 87.09, 87.10, 8716.3, 8716.40, 8716.80.10, 8716.80.90 and 8716.90 By the deletion of surcharge code 02.00 to tariff heading No. 87.00	

Schedule No. 3 to the Act

REBATE ITEM	TARIFF HEADING	REBATE CODE	C. D.	DESCRIPTION	EXTENT OF REBATE
314.01				By the deletion of tariff heading No. 72.00.	
315.01				By the substitution for tariff headings Nos. 72.02, 72.25, 72.26 and 7302.10 of the following:	
	72.02	01.04	44	Ferro-alloys (excluding ferro-vanadium)	Full duty
	7302.10	01.06	66	Rails, of iron or steel, entered on or before 31 March 1995, in such quantities and subject to such conditions as the Permanent Secretary, Ministry of Commerce and Industry, may allow by specific permit issued on or before 31 March 1995, for further processing	Full duty
		02.06	60	Rails, of iron or steel, entered on or before 31 March 1995, in such quantities and subject to such conditions as the Permanent Secretary, Ministry of Commerce and	Full duty"

REBATE ITEM	TARIFF HEADING	REBATE CODE	C. D.	DESCRIPTION	EXTENT OF REBATE
				Industry, may allow by specific permit issued on or before 31 March 1995, for the manufacture of fencing poles and reinforcing rods	
315.08				By the deletion of tariff headings Nos. 72.11, 72.14, 72.14.10, 72.14.60, 72.15.90, 72.20, 72.22, 72.24, 72.25.20, 72.26, 72.26.20, 72.27.10, 72.28, 72.28.10, 72.28.30, 72.28.40, 72.28.60 and 72.29.10	
315.10				By the deletion of tariff headings Nos. 72.20, 72.21 and 72.22.	
316.01				By the deletion of tariff heading No. 72.00.	
				By the deletion of rebate codes 02.00 and 03.00 to tariff heading No. 72.28.	
316.03				By the deletion of tariff headings Nos. 73.13, 72.14 and 72.15.	
316.04				By the deletion of tariff headings Nos. 72.25 and 72.26.	
316.13				By the deletion of tariff heading No. 72.07.	
316.19				By the deletion of tariff headings Nos. 72.25, 72.26 and 72.29.90.	
317.06				By the deletion of tariff headings Nos. 72.13, 72.14, 72.15, 72.16, 72.21, 72.22 and 72.27.	
Schedule No. 4 to the Act					
460.15				By the deletion of tariff heading No. 72.00.	

MADE this 20th day of December, 1994.

F. G. MOGAE,
*Vice-President and Minister of Finance
and Development Planning.*