

CUSTOMS AND EXCISE DUTY ACT
(Cap. 50:01)

AMENDMENT OF SCHEDULES (NO. 19) NOTICE, 1997
(Published on 4th July, 1997)

IN EXERCISE of the powers conferred on the Minister of Finance and Development Planning by sections 52 and 53 of the Customs and Excise Duty Act, the Schedules to the Act are proposed to be amended to the extent set out in the Schedule below.

Schedule No. 1 to the Act

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
84.03, 84.04 and 84.05			By the substitution for subheadings Nos. 84.03, 84.04 and 84.05 of the following:		
"84.03			Central heating boilers (excluding those of heading No. 84.02):		
	8403.10	9	- Boilers	u	free
	8403.90	5	- Parts	kg	free
84.04			Auxiliary plant for use with boilers of heading No. 84.02 or 84.03 (for example, economisers, super-heaters, soot removers, gas recovers); condensers for steam or other vapour power units:		
	8404.10	2	- Auxiliary plant for use with boilers of heading No. 84.02 or 84.03	. kg	free
	8404.20	7	- Condensers for steam or other vapour power units	kg	free
	8404.90	9	- Parts kg	free	
84.05			Producer gas or water gas generators, with or without their purifiers; acetylene gas generators and similar water process gas generators, with or without their purifiers:		

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	8405.10	6	- Producer gas or water gas generators, with or without their purifiers; acetylene gas generators and similar water process gas generators, with or without their purifiers	kg	free
	8405.90	2	- Parts	kg	free"
84.07			By the substitution for subheadings Nos. 8407.2, 8407.3 and 8407.90 of the following:		
	"8407.2		- Marine propulsion engines:		
	8407.21	4	- - Outboard engines	u	free
	8407.29	5	- - Other	u	17%
	8407.3		- Reciprocating piston engines of a kind used for the propulsion of vehicles of Chapter 87:		
	8407.31	9	- - Of a cylinder capacity not exceeding 50 cm ³	u	free
	8407.32	5	- - Of a cylinder capacity exceeding 50 cm ³ but not exceeding 250 cm ³ :	u	free
	8407.33	1	- - Of a cylinder capacity exceeding 250 cm ³ but not exceeding 1000 cm ³	u	free
	8407.34	8	- - Of a capacity exceeding 1 000 cm ³	u	free
	8407.90	5	- Other engines	u	free"
84.08			By the substitution for subheading No. 8408.10 of the following:		
	"8408.10		- Marine propulsion engines:		

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	.10	4	- - Outboard engines	u	free
	.90	2	- - Other	u	17%"
			By the substitution for subheading No. 8408.20.90 of the following:		
	"90	2	- - Other	u	18%"
			By the substitution for subheading No. 8408.90 of the following:		
	"8408.90		- Other engines:		
	.10	0	- - Aircraft engines	u	free
	.20	8	- - Identifiable for use solely or principally with railway locomotives	u	free
	.30	5	- - Identifiable for use solely or principally with road rollers	u	free
	.40	2	- - Stationary engines as defined in Additional Note 4 to this Section	u	19%
	.50	3	- - Stationary engines as defined in Additional Note 3 to this Section	u	19%
	.70	4	- - Other stationary engines	u	free
	.90	9	- - Other	u	17%"
84.09			By the substitution for heading No. 8409.9 of the following:		
	"8409.9		- Other:		
	8409.91		- - Suitable for use or principally with spark-ignition internal combustion piston engines:		

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	.27	5	- - -Pistons, whether or not fitted with gudgeon pins, piston rings or cylinder liners or sleeves, for motor vehicle engines	kg	20%
	.38	0	- - -Gudgeon pins and cylinder liners or sleeves (excluding those for motor cycle engines)	kg	20%
	.90	9	- - -Other	kg	free
	8409.99		- - Other:		
	.27	6	- - -Pistons, whether or not fitted with gudgeon pins, piston rings or cylinder liners or sleeves, for motor vehicle engines	kg	20%
	.38	8	- - -Gudgeon pins and cylinder liners or sleeves (excluding those for motor cycle engines)	kg	20%
	.90	8	- - - Other	kg	free"
84.11			By the substitution for subheading No. 8411.8 of the following:		
	"8411.8		- Other gas turbines:		
	8411.81	2	- - Of a power not exceeding 5 000 kW	u	free
	8411.82	9	- - Of a power exceeding 5 000 kW	u	free"
			By the substitution for subheading No. 8411.99 of the following:		
	"8411.99	8	- - Other	kg	free"

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
84.12, 84.13 and 84.14			By the substitution for headings Nos. 84.12, 84.13 and 84.14 of the following:		
"84.12			Other engines and motors:		
	8412.10	8	- Reaction engines (ex- cluding turbo-jets)	u	free
	8412.2		- Hydraulic power engines and motors:		
	8412.21	9	- - Linear acting (cylinders)	u	free
	8412.29	8	- - Other	u	free
	8412.3		- Pneumatic power engines and motors:		
	8412.31	3	- - Linear acting (cylinders)	u	free
	8412.39	4	- - Other	u	free
	8412.80	8	- Other u	free	
	8412.90	4	- Parts kg	free	
84.13			Pumps for liquids, whether or not fitted with a measuring device; liquid elevators:		
	8413.1		- Pumps fitted or designed to be fitted with a measuring device:		
	8413.11	8	- - Pumps for dispensing fuel or lubricants, of the type used in filling-stations or in garages	u	free
	8413.19	9	- - Other	u	free
	8413.20	6	- Hand pumps (excluding those of subheading No. 8413.11 or 8413.19)	u	free

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	8413.30	0	- Fuel, lubricating or cooling medium pumps for internal combustion piston engines	u	free
	8413.40	5	- Concrete pumps	u	free
	8413.50	9	- Other reciprocating positive displacement pumps	u	free
	8413.60	4	- Other rotary positive displacement pumps	u	free
	8413.70		- Other centrifugal pumps:		
	.25	4	- - Submersible pumps	u	free
	.90	4	- - Other	u	free
	8413.8		-Other pumps; liquid elevators:		
	8413.81	7	- - Pumps	u	free
	8413.82	6	- - Liquid elevators	u	free
	8413.9		- Parts:		
	8413.91	4	- - Of pumps	kg	free
	8413.92	0	- - Of liquid elevators	kg	free
84.14			Air or vacuum pumps, air or other gas compressors and fans; ventilating or recycling hoods incorporating a fan, whether or not fitted with filters:		
	8414.10	5	- Vacuum pumps	u	free
	8414.20	0	- Hand-or foot-operated air pumps	u	free
	8414.30	4	- Compressors of a kind used in refrigerating equipment	u	free
	8414.40	9	- Air compressors mounted on a wheeled chassis for towing	u	free

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	8414.5		- Fans:		
	8414.51	8	- - Table, floor, wall, window, ceiling or roof fans, with a self-contained electric motor of an output not exceeding 125 W	u	5%
	8414.59	0	- - Other	u	free
	8414.60	8	- Hoods having a maximum horizontal side not exceeding 120 cm	u	free
	8414.80	7	- Other	u	free
	8414.90		- Parts:		
	.70	2	- - For ventilating fans (excluding that for fans identifiable for use with motor vehicle engines)	kg	5%
	.90	7	- - Other	kg	free"
84.15			By the substitution for subheading No. 8415.10 of the following:		
	*8415.10		- Window or wall types, self-contained:		
	.40	8	- - Compressor operated, having a rated cooling capacity not exceeding 8,8 kW	u	19%
	.90	4	- - Other	u	free"
			By the substitution for subheading No. 8415.90, of the following:		
	8415.90		- Parts:		
	.10	2	- - Identifiable for use solely or principally with the machines of subheading No. 8415.10.40	kg	19%

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	.90	0	- - other	kg	free"
84.18			By the substitution for subheading No. 8418.91.10 of the following:		
	“.10	3	- - - For household refrigerators or freezers	kg	22%”
			By the substitution for subheadings Nos. 8418.99.30 and 8418.99.40 of the following:		
	“.30	5	- - - Other, for display counters, cabinets, show-cases or the like	kg	14%
	.40	2	- - - Other evaporators and condensers	kg	14%”
84.19			By the substitution for subheadings Nos. 8419.8 and 8419.90 of the following:		
	“8419.8		- Other machinery, plant and equipment:		
	8419.81	1	- - For making hot drinks or for cooking or heating food	u	free
	8419.89	2	- - Other	u	free
	8419.90		- Parts:		
	.10	7	- - For domestic instantaneous or storage water heaters	kg	15%
	.90	5	- - Other	kg	free”
84.21			By the substitution for subheading No. 8421.12.20 of the following:		

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	“.20	4	--- Of a dry mass load- ing capacity not exceeding 7 kg (excluding coin- operated types) By the substitution for subheading No. 8421.21 of the following:	u	17%”
	“8421.21	8	-- For filtering or purifying water By the substitution for subheading No. 8421.23.30 of the following:	u	free”
	“.30	2	--- Suitable for use with motor vehicle engines (including motorcycle engines) By the substitution for subheading No. 8421.31.50 of the following:	u	17%”
	“.50	9	--- Other, suitable for use with motor vehicle engines (including motor- cycle engines) By the substitution for subheading No. 8421.91.20 of the following:	u	17%”
	“.20	4	--- For clothes dryers of a dry mass loading capacity not exceeding 7 kg By the substitution for subheading No. 8421.99 of the following:	u	17%”
	“8421.99		-- Other:		
	.66	3	--- For filters sui- table for use with motor vehicle engines (including motorcycle engines)	kg	17%

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	.90	6	- - - Other	kg	free"
84.22			By the substitution for subheading No. 8422.1 of the following:		
	"8422.1		- Dish washing machines:		
	8422.11	7	- - Of the household type	u	free
	8422.19	8	- - Other	u	free"
			By the substitution for subheading No. 8422.90 of the following:		
	"8422.90	7	- Parts kg	free"	
84.23, 84.24, 84.25, 84.26, 84.27 and 84.28			By the substitution for headings Nos. 84.23, 84.24, 84.25, 84.26, 84.27 and 84.28 of the following:		
"84.23			Massmeters (excluding balances of a sensitivity of 5 cg or better), including masspiece- operated counting or checking machines; masspieces of all kinds:		
	8423.10	4	- Personal massmeters, including baby mass- meters; household massmeters	u	free
	8423.20	9	- Massmeters for the continuous measuring of mass of goods on conveyors	u	free
	8423.30	3	-Constant mass mass- meters and massmeters for discharging a predetermined mass of material into a bag or container, including hopper massmeters	u	free

EADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	8423.8		- Other massmeters:		
	8423.81	2	- - Having a maximum mass measurement capacity not exceeding 30 kg	u	free
	8423.82	9	- - Having a maximum mass measurement capacity exceeding 30 kg but not exceeding 5 000 kg	u	free
	8423.89	3	- - Other	u	free
	8423.90	0	- Masspieces of all kinds; parts of massmeters	kg	free
84.24			Mechanical appliances (whether or not hand-operated) for projecting, dispersing or spraying liquids or powders; fire extinguishers, whether or not charged; spray guns and similar appliances; steam or sand blasting machines and similar jet projecting machines:		
	8424.10	8	- Fire extinguishers, whether or not charged	u	free
	8424.20	2	- Spray guns and similar appliances	u	free
	8424.30	7	- Steam or sand blasting machines and similar jet projecting machines	u	free
	8424.8		- Other appliances:		
	8424.81	6	- - Agricultural or horticultural	u	free
	8424.89	7	- - Other	u	free
	8424.90	4	- Parts kg	free	
84.25			Pulley tackle and hoists (excluding skip hoists); winches and capstans; jacks:		

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	8425.1		- Pulley tackle and hoists (excluding skip hoists or hoists of a kind used for raising vehicles):		
	8425.11	8	- - Powered by electric motor	u	14%
	8425.19		- - Other:		
	.10	6	- - - Triple-spur gear chain hoists	u	12%
	.90	4	- - - Other	u	free
	8425.20	6	- Pit-head winding gear, winches specially designed for use underground	u	free
	8425.3		- Other winches; capstans:		
	8425.31		- - Powered by electric motor:		
	.10	4	- - - Whaling or trawling winches	u	14%
	.90	2	- - - Other	u	free
	8425.39		- - Other:		
	.10	5	- - - Whaling or trawling winches	u	14%
	.90	3	- - - Other	u	free
	8425.4		- Jacks; hoists of a kind used for raising vehicles:		
	8425.41	1	- - Built-in jacking systems of a type used in garages	u	free
	8425.42		- - Other jacks and hoists, hydraulic:		
	.10	5	- - - Trolley mounted garage jacks, of a lifting capacity not exceeding 11 t	u	12%

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	.20	2	- - - Other trolley mounted garage jacks	u	free
	.25	3	- - - Bottle jacks, of a lifting capacity not ex- ceeding 90,7 t	u	14%
	.30	6	- - - Other lifting jacks, hand-type, of a lifting capacity not exceeding 90,7 t	u	14%
	.35	0	- - - Four-post jacks, - of a lifting capacity not exceeding 3,5 t	u	14%
	.40	7	- - - Other lifting jacks	u	free
	.50	4	- - - Other jacks	u	14%
	.90	3	- - - Other	u	free
	8425.49		- - Other:		
	.10	4	- - - Trolley mounted garage jacks	u	free
	.15	0	- - - Lifting jacks, mechanical, hand- type, of a lifting height of 800 mm or more when fully extended (exclud- ing trolley mounted garage jacks)	u	12%
	.25	8	- - - Other mechanical lifting jacks, hand-type, of a lifting capacity not exceeding 90,7 t	u	10%
	.30	4	- - - Other lifting jacks	u	14%
	.90	8	- - - Other	u	14%

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
84.26			Ships' derricks; cranes, including cable cranes; mobile lifting frames, straddle carriers and works trucks fitted with a crane:		
	8426.1		- Overhead travelling cranes, transporter cranes, gantry cranes, bridge cranes, mobile lifting frames and straddle carriers:		
	8426.11	1	- - Overhead travelling cranes on fixed support	u	free
	8426.12	8	- - Mobile lifting frames on tyres and straddle carriers	u	free
	8426.19	2	- - Other	u	free
	8426.20	8	- - Tower cranes	u	free
	8426.30	4	- Portal or pedestal jip cranes	u	free
	8426.4		- Other machinery, self propelled:		
	8426.41	5	- - On tyres	u	free
	8426.49	6	- - Other	u	free
	8426.9		- Other machinery:		
	8426.91	8	- - Designed for mounting on road vehicles	u	free
	8426.99	9	- - Other	u	free
84.27			Fork-lift trucks; other works trucks fitted with lifting or handling equipment:		
	8427.10		- Self- propelled trucks powered by an electric motor:		

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	.10	6	- - Fork-lift trucks, counterpiece balanced, rider type, not fitted with batteries, of a mass not exceeding 4 000 kg; fork-lift trucks, counter-piece balanced, rider type, fitted with batteries, of a mass not excluding 6 000 kg	u	19%
	.60	2	- - Other fork-lift trucks, including stackers, reach-type trucks and fourway reach-type trucks	u	15%
	.90	4	- - Other	u	17%
	8427.20		-Other self-propelled trucks:		
	.15	1	- - Fork-lift trucks, counterpiece balanced, rider type	u	19%
	.70	4	- - Other fork-lift trucks, including stackers, reach-type trucks and four-way reach-type trucks	u	15%
	.90	9	- - Other	u	17%
	8427.90	5	- Other trucks	u	free
84.28			Other lifting, handling, loading or unloading machinery (for example, lifts, escalators, conveyors, teleferics):		
	8428.10	2	- Lifts and skip hoists	u	free
	8428.20	7	- Pneumatic elevators and conveyors	u	free

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	8428.3		- Other continuous- action elevators and conveyors, for goods or materials:		
	8428.31	8	- - Specially designed for underground use	u	free
	8428.32	4	- - Other, bucket type	u	free
	8428.33	0	- - Other, belt type	u	free
	8428.39	9	- - Other	u	free
	8428.40	6	- Escalators and moving walkways	u	free
	8428.50	0	- Mine wagon pushers, locomotive or wagon traversers, wagon tippers and similar railway wagon handling equipment	u	free
	8428.60	5	- Teleferics, chair- lifts, ski-draglines; traction mechanisms for funiculars	u	free
	8428.90	9	- Other machinery	u	free"
84.29			By the substitution for subheadings Nos. 8429.20, 8429.30 and 8429.40 of the following:		
	"8429.20	0	- Graders and levellers	kg	free
	8429.30	5	- Scrapers	u	free
	8429.40	5	- Tamping machines and road rollers	u	free"
			By the substitution for subheading No. 8429.59 of the following:		
	"8429.59	1	- - Other	u	free"
84.30			By the substitution for subheading No. 8430.50 of the following:		

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	"8430.50	4	- Other machinery, self-propelled	u	free"
			By the substitution for subheading No. 8430.62 of the following:		
	"8430.62	1	- - Scrapers	u	free"
84.31			By the substitution for heading No. 84.31 of the following:		
84.31			Parts suitable for use solely or principally with the machinery of headings Nos. 84.25 to 84.30:		
	8431.10		- Of machinery of heading No. 84.25:		
	.05	0	- - Of triple spur gear chain hoists	kg	12%
	.10	7	- - Of hydraulic trolley mounted garage jacks, of a lifting capacity not exceeding 11 t	kg	12%
	.25	5	- - Of other hydraulic lifting jacks, hand- type, of a lifting capacity not exceed- ing 90,7 t (excluding trolley mounted garage jacks)	kg	10%
	.30	1	- - Of other mechanical lifting jacks, hand- type, of a lifting capacity not exceed- ing 90,7 t (exclud- ing trolley mounted garage jacks)	kg	10%
	.90	5	- - Other	kg	free
	8431.20	4	- Of machinery of head- ing No. 84.27	kg	free
	8431.3		- Of machinery of head- ing No. 84.28:		

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	8431.31	5	- - Of lifts, skip hoists or escalators	kg	free
	8431.31	5	- - Other	kg	free
	8431.4		- Of machinery of heading No. 84.26, 84.29 or 84.30:		
	8431.41	9	- - Buckets, shovels, grabs and grips	kg	free
	8431.42	6	- - Bulldozer or angle- dozer blades	kg	free
	8431.43	2	- - Parts of boring or sinking machinery of subheading No. 8430.41 or 8430.49	kg	free
	8431.49		- - Other:		
	.50	7	- - - Picks, chisels, bits and the like and blanks thereof, suitable for coal cutting machinery	kg	7%
	.90	6	- - - Other	kg	free"
84.32			By the substitution for heading No. 84.32 of the following:		
"84.32			Agricultural, horti- cultural or forestry machinery for soil preparation or cultiva- tion; lawn or sports- ground rollers:		
	8432.10	3	- Ploughs	u	free
	8432.2		- Harrows, scarifiers, cultivators, weeders and hoes:		
	8432.21	4	- - Disc harrows	u	free
	8432.29	5	- - Other	u	free
	8432.30	2	- Seeders, planters and transplanters	u	free

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	8432.40	7	- Manure spreaders and fertiliser distributors	u	free
	8432.80	5	- Other machinery	u	free
	8432.90	6	- Parts	kg	free"
84.33			By the substitution for subheading No. 8433.11.10 of the following:		
	".10	0	- - - Having a cutting width not exceed- ing 470 mm	u	21%"
			By the substitution for subheading No. 8433.19.10 of the following:		
	".10	1	- - - Having a cutting width not exceed- ing 460 mm	u	10%"
			By the substitution for subheading No. 8433.90 of the following:		
	"8433.90	3	- Parts	kg	free"
84.36			By the substitution for subheading No. 8436.29 of the following:		
	"8436.29	4	- - Other	u	free"
			By the substitution for subheading No. 8436.91 of the following:		
	"8436.91	0	- - Of poultry-keeping machinery or poultry incubators and brooders	kg	free"
84.38			By the substitution for subheading No. 8438.50 of the following:		
	"8438.50	3	- Machinery for the preparation of meat or poultry	u	free"

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
			By the substitution for subheading No. 8438.90 of the following:		
	"8438.90	1	- Parts	kg	free"
84.42			By the substitution for subheading No. 8442.50 of the following:		
	"8442.50	4	- Printing type, blocks, plates, cylinders and other printing com- ponents; blocks, plates, cylinders and lithographic stone, prepared for printing purposes (for example, planed, grained or polished)	kg	free"
84.48			By the substitution for subheading No.8448.42 of the following:		
	"8448.42	4	- - Reeds for looms, healds and-frames	kg	free"
84.50			By the substitution for subheadings Nos. 8450.12.10 and 8450.12.15 of the following:		
	"30	6	- - -Of a dry capacity not exceeding 7 kg	u	30%"
			By the substitution for subheading No. 8450.90 of the following:		
	"8450.90	8	- Parts	kg	free"
84.51			By the substitution for subheading No. 8451.30 of the following:		
	"8451.30	4	- Ironing machines and presses (including fusing presses)	u	free"

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
			By the substitution for subheadings Nos. 8451.90.10 and 8451.90.20 of the following:		
	"10	9	- - For laundry drying machines, tumbler- type, of a dry linen capacity not exceeding 7,5 kg	kg	10%"
84.52			By the substitution for subheading No. 8452.40 and 8452.90 of the following:		
	"8452.40	2	- Furniture, bases and covers for sewing machines and parts thereof	kg	free
	8452.90	5	- Other parts of sewing machines	kg	free"
84.67			By the substitution for heading No. 84.67 of the following:		
"84.67			Tools for working in the hand, pneumatic, hydrau- lic or with self-contained non-electric motor:		
	8467.1		- Pneumatic:		
	8467.11	6	- - Rotary type (inclu- ding combined rotary- percussion)	u	free
	8467.19	7	- - Other	u	free
	8467.8		- Other tools:		
	8467.81	8	- - Chain saws	u	free
	8467.89		- - Other:		
	.60	2	- - - Brush cutters and trimmers, petrol driven	u	free
	.90	4	- - - Other	u	free"

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	8467.9		- Parts:		
	8467.91	2	- - Of chain saws	kg	free
	8467.92	9	- - Of pneumatic tools	kg	free
	8467.99	3	- - Other	kg	free"
84.74			By the substitution for subheading No. 8474.31 of the following:		
	"8474.31	7	- - Concrete or mortar mixers	u	free"
84.76			By the substitution for heading No. 84.76 of the following:		
"84.76			Automatic goods-vending machines (for example, postage stamp, cigarette, food or beverage machi- nes), including money- changing machines:		
	8476.2		- Automatic beverage- vending machines:		
	8476.21	4	- - Incorporating heating or refrigerating de- vices	u	free
	8476.29	0	- - Other	u	free
	8476.8		- Other machines:		
	8476.81	7	- - Incorporating heating or refrigerating de- vices	u	free
	8476.89	8	- - Other	u	free
	8476.90	5	- Parts	kg	free"
84.78			By the substitution for heading No. 84.78 of the following:		
"84.78			Machinery for preparing or making up tobacco, not specified or included elsewhere in this chapter:		

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	8478.10	6	- Machinery	u	free
	8478.90	2	- Parts	kg	free"
84.79			By the substitution for subheadings Nos. 8479.60, 8479.8 and 8479.9 of the following:		
	"8479.60	2	- Evaporative air coolers	u	free
	8479.8		- Other machines and mechanical appliances:		
	8479.81	8	- - For treating metal, including electric wire coil-winders	u	free
	8479.82	4	- - Mixing, kneading, crushing, grinding, screening, sitting, homogenising, emul- sifying or stir- ring or stirring machines	u	free
	8479.89		- - other:		
	.30	0	- - - Vacuum cleaners of a value for duty purposes not ex- ceeding UA650	u	14%
	.31	9	- - - Other vacuum cleaners, electrical	u	5%
	.33	5	- - - Floor polishers and scrubbers, electri- cal non-domestic	u	14%
	.90	4	- - - Other	u	free
	8479.90	6	Parts	kg	free"
-84.80			By the substitution for subheading No. 8480.30 of the following:		
	"8480.30	9	Moulding patterns	kg	free"

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
84.81, 84.82, 84.83, 84.84 and 84.85			By the substitution for headings Nos.84.81 84.82, 84.83 84.84 and 84.85 of the following:		
"84.81			Taps, cocks, valves and similar appliances for pipes, boiler shells, tanks, vats or the like, including pressure- reducing valves and thermostatically contai- ned valves:		
	8481.10		- Pressure-reducing valves:		
	.10	0	- - Of a kind commonly used with domestic hot water systems	kg	12%
	.90	9	- - Other	kg	free
	8481.20	8	- Valves for oleohy- draulic or pneumatic transmissions	kg	free
	8481.30	2	- Check valves	kg	free
	8481.40		- Safety or relief valves:		
	.10	4	- - Of a kind commonly used with domestic hot water system	kg	13%
	.90	2	- - Other	kg	free
	8481.80		- Other appliances:		
	.01	3	- - Pressure or flow control valves, of a kind commonly used with domestic hot water systems	kg	13%

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	.07	2	-- Valves of a kind commonly used with rubber pneumatic tyres or inner tubes	kg	18%
	.09	9	-- Valves of a kind commonly used with other inflatable articles	kg	16%
	.11	0	-- Flush valves of a kind commonly used with water closet pans, urinals or slop hoppers	kg	13%
	.19	6	-- Other float operated valves, for use with pipes of an inside cross-sectional dimension not exceeding 25 mm	kg	13%
	.27	7	-- Other ball valves	kg	16%
	.31	5	-- Other butterfly valves	kg	16%
	.37	4	-- Other gate valves of copper alloys, not flanged, for use with pipes of an inside cross-sectional dimension exceeding 15 mm but not exceeding 80 mm	kg	10%
	.72	2	-- Hose fittings (excluding fire-extinguishing appliances and flashback arresters for gases)	kg	16%
	.73	0	-- Basin, bath, shower or sink waste holes and plugs therefor	kg	16%

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	.79	0	-- Hose or toilet bib-cocks, pillar cocks, water mixing taps (bath, washbasin, bidet, shower or sink type), shower units, water tank locking taps, cooking range taps or tapping ferrules for offtake pipes of an inside cross-sectional dimension not exceeding 25 mm	kg	12%
	.90	0	-- Other	kg	free
	8481.90		- Parts:		
	.05	0	-- Of safety, pressure-reducing, pressure or flow control valves, of a kind commonly used with domestic hot water systems	kg	13%
	.10	7	-- Of valves of a kind commonly used with rubber tyres or inner tubes	kg	18%
	.15	8	-- Of valves of a kind commonly used with other inflatable articles	kg	16%
	.20	4	-- Of flush valves of a kind commonly used with water closet plans, urinals or slop hoppers	kg	13%
	.25	5	-- Of hose fittings (excluding those of fire-extinguishing appliances)	kg	14%
	.30	1	-- Of basin, bath, shower or sink waste holes and plugs there for	kg	14%

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	.35	2	-- Of hose and toilet bibcocks, pillar cocks, water mixing taps (bath, washbasin, bidet, shower or sink type), shower units, water-tank locking taps or cooking range taps	kg	13%
	.40	9	-- Of float operated valves for use with pipes of an inside cross-sectional dimensions not exceeding 25 mm	kg	13%
	.45	1	-- Of ball valves	kg	15%
	.50	6	-- Of butterfly valves	kg	15%
	.55	7	-- Of copper alloys, for gate valves	kg	10%
	.90	5	-- Other	kg	10%
84.82			Ball or roller bearings:		
	8482.10		- Ball bearings:		
	.05	8	-- Of an outside diameter of less than 31 mm or exceeding 130 mm	u	free
	.10	4	-- Other radial deep groove bearings, single row, with a square bore, with an aggregate of the bore across the square plus outside diameter plus width of 140 mm or more but not exceeding 154 mm	u	25%
	.15	5	-- Other radial deep groove bearings, single row (excluding angular contact bearings and those with a square bore), with an aggregate of the inside diameter plus outside diameter plus width of 61 mm or more but not exceeding 230 mm	u	25%

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	.90	2	- - Other	u	free
	8482.20		- Tapered roller bearings, including cone and tapered roller assemblies:		
	.01	6	- - Journal roller bearings of the rotating end cover type, commonly used on the axles of railway rolling stock or locomotives, of an outside diameter of less than 170 mm	u	free
	.02	8	- - - Journal roller bearings of the rotating end-cover type, commonly used on the axles of railway rolling stock or locomotives, of an outside diameter of 170 mm or more but not exceeding 210 mm	u	20%
	.03	6	- - Journal roller bearings of the rotating end-cover type, commonly used on the axles of railway rolling stock or locomotives, of an outside diameter exceeding 210 mm	u	free
	.07	9	- - Bearings (excluding journal roller bearings of the rotating end-cover type), of an outside diameter of less than 31 mm exceeding 130 mm	u	free
	.09	5	- - Bearings (excluding journal roller bearings of the rotating end-cover type), of an outside diameter exceeding 90 mm but not exceeding 130 mm	u	free

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	.15	5	-- Other bearings, single row, incorporating both cone assemblies and cups (excluding flat thrust assemblies and unitised non-separable assemblies), with an aggregate of the inside diameter plus outside diameter plus width exceeding 70 mm but not exceeding 139 mm	u	25%
	.25	7	-- Other bearings, single row (excluding flat thrust assemblies and unitised non-separable assemblies)	u	free
	.30	3	-- Cone assemblies, single row (excluding flat thrust assemblies), of an inside diameter of 15 mm or more but not exceeding 46 mm and with an aggregate of the inside diameter plus width of 31 mm or more but not exceeding 65 mm	u	25%
	.40	0	-- Other cone assemblies, single row (excluding flat thrust assemblies)	u	free
	.45	1	-- Other cone assemblies, of an inside diameter of 119 mm or more but not exceeding 120 mm, or 131 mm or more but not exceeding 132 mm	u	25%
	.90	7	-- Other	u	free
	8482.30		- Spherical roller bearings:		
	.10	3	-- Bearings, of an outside diameter of less than 31 mm or exceeding 130 mm	u	free

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	.20	0	- - Inner ring assemblies, of an inside diameter of 119 mm or more but not exceeding 120 mm, or of 131 mm or more but not exceeding 132 mm	u	25%
	.90	1	- - Other	u	free
8482.40		0	- Needle roller bearings	u	free
8482.50			- Other cylindrical roller bearings:		
8482.40		0	- Needle roller bearings:		
8482.50			- Other cylindrical roller bearings:		
	.20	4	- - Journal roller bearings of the rotating end-cover type, commonly used on the axles of railway rolling stock or locomotives, of an outside diameter of 170 mm or more but not exceeding 210 mm	u	20%
	.50	1	- - Inner ring assemblies, of an inside diameter of 119 mm or more but not exceeding 120 mm, or of 131 mm or more but not exceeding 132 mm	u	25%
	.90	0	- - Other	u	free
8482.80		9	- Other, including combined ball/roller bearings	u	free
8482.9			- Parts:		
8482.91			- Balls, needles and rollers:		
	.20	4	- - - Rollers, tapered, of a maximum diameter not exceeding 10 mm	kg	25%

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	.90	5	- - - Other	kg	free
	8482.99		- - Other:		
	.11	6	- - - Outer rings of radial deep groove ball bearings with grooved ball track in bore, finished (excluding those of an outside diameter of less than 31 mm or exceeding 130 mm)	kg	25%
	.13	2	- - - Outer rings (cups), single row, of tapered roller bearings, finished (excluding those of an outside diameter of less than 31 mm or exceeding 90 mm), with an aggregate of the outside diameter plus width of 49 mm or more but not exceeding 93 mm	kg	25%
	.17	5	- - - Outer rings of journal roller bearings, finished, of an outside diameter of 195 mm or more but not exceeding 196 mm, or of 207 mm or more but not exceeding 209 mm	kg	25%
	.29	9	- - - Inner rings of radial deep groove ball bearings with with grooved ball track on outer diameter, finished (excluding those of an outside diameter of less than 20 mm or exceeding 95 mm)	kg	25%

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	.31	0	- - - Inner rings (unass- embled cones) single row of tapered rol- ler bearings, fini- shed, of an inside diameter of 15 mm or more but not ex- ceeding 46 mm, with an aggregate of the inside diameter plus width of 31 mm or more but not exceeding 50 mm	kg	25%
	.90	6	- - - Other	kg	free
84.83			Transmission shafts (including cam shafts and crank shafts) and cranks; bearing housings and plain shaft bearings; gears and gearing; ball or roller screws; gear boxes and other speed changers, including torque converters, fly- wheels and pulleys, in- cluding pulley blocks; clutches and shaft couplings (including universal joints)		
	8483.10	0	- Transmission shafts (including cam shafts) and cranks	u	free
	8483.20	5	- Bearing housings, incorporating ball or roller bearings	u	free
	8483.30		- Bearing housings, not incorporating ball or roller bearings; plan shaft bearings:		
	.55	7	- - Plan shaft bearings, of a kind consisting of halves, with a inside diameter not exceeding 125 mm and a wall thickness of less than 5 mm	u	20%
	.90	5	- - Other	u	free

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	8483.40	4	- gears and gearing (ex- cluding toothed wheels, chain sprockets and other transmission elements presented sepa- rately); ball or roller screws; gear boxes and other speed changers, including torque con- verters	u	free
	8483.50	9	- Flyweight and pulleys, including pulley blocks	u	free
	8483.60	9	- Clutches and shaft couplings (including universal joints)	u	free
	8483.90	7	- Parts	kg	free
84.84			Gaskets and similar joints of metal sheeting combined with other material or of two or more layers of metal; sets or assort- ments of gaskets and simi- lar joints, dissimilar in composition, put up in pouches, envelopes or similar packings; mechan- ical seals:		
	8484.10		- Gaskets and similar joints of metal sheet- ing combined with other material or more layers of metal:	kg	free
	.10	1	- - Identifiable for use solely or principally in machinery, plant, stationary engines or tractors (excluding road tractors)	kg	free
	.90	3	- - Other	kg	14%
	8484.20	9	- Mechanical seals	kg	free
	8484.90		- Other:		
	.10	8	- - Identifiable for use solely or principally in machinery, plant, stationary engines or tractors (excluding road tractors)	kg	free

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	.90	6	- - Other	kg	14%
84.85			Machinery parts, not containing electrical connectors, insulators, coils, contacts or other electrical features, not specified or included elsewhere in this chapter		
	8485.10	8	- Ships' or boats propellers, and blades therefor	kg	free
	8485.90	4	- Other	kg	free"
85.02			By the substitution for subheading No. 8502.1 of the following:		
	"8502.1		- Generating sets with compression-ignition internal combustion piston engines (diesel or semi-diesel engines):		
	8502.11	3	- - Of an output not exceeding 75 kVA	u	22%
	8502.12	1	- - Of an output exceeding 75 kVA but not exceeding 375 kVA	u	22%
	8502.13	6	- - Of an output exceeding 375 kVA	u	22%"
85.03 and 85.04			By the substitution for headings Nos. 85.03 and 85.04 of the following		
85.03	8503.00		Parts suitable for use solely or principally with the machines of heading No. 85.01 or 85.02:		
	8503.00.10	3	- Rotors or armatures, with an outside cross-sectional dimension exceeding 57 mm but not exceeding 200 mm	kg	17%

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
85.04	.20	0	- Stators or stator packs, whether or not wound, with an inside cross-sectional dimension exceeding 57 mm but not exceeding 200 mm	kg	19%
	.90	1	- Other	kg	5%
			Electrical transformers, static converters (for example, rectifiers) and inductors:		
	8504.10	4	- Ballasts for discharge lamps or tubes	u	free
	8504.2		- Liquid dielectric transformers:		
	8504.21	5	- - Having a power handling capacity not exceeding 650 kVA	u	free
	8504.22	1	- - Having a power handling capacity exceeding 650 kVA but not exceeding 10 000 kVA	u	free
	8504.23	8	- - Having a power handling capacity exceeding 10 000 kVA	u	free
	8504.3		- Other transformers:		
	8504.31	9	- - Having a power handling capacity not exceeding 1 kVA	u	free
	8504.32	6	- - Having a power handling capacity exceeding 1 kVA but not exceeding 16 kVA	u	free
	8504.33	2	- - Having a power handling capacity exceeding 16 kVA but not exceeding 500 kVA	u	free
	8504.34	9	- - Having a power handling capacity exceeding 500 kVA	u	free

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	8504.40	8	- Static converters	u	free
	8504.50	2	- Other inductors	u	free
	8504.90	0	- Parts	kg	free"
85.05			By the substitution for subheadings Nos. 8505.30 and 8505.90 of the follo- wing:		
	"8505.30	7	- Electro-magnetic lift- ing heads	u	free
	8505.90	4	- Other, including parts	kg	free"
85.06			By the substitution for for subheading No. 8506.10.90 of the following:		
	"90	7	- - Other	u	24%"
			By the substitution subheading No. 8506.30.90 of the following:		
	"90	6	- - Other	u	24%"
			By the substitution for subheading No. 8506.40.90 of the following:		
	"90	0	- - Other	u	24%
			By the substitution for subheading No. 8506.50.90 of the following:		
	"90	5	- - Other	u	24%"
			By the substitution for subheading No. 8506.60.90 of the following:		
	"90	9	- - Other	u	24%
	8506.90	8	- Parts	kg	free"
85.07			By the substitution for subheading No. 85.07 of the following:		

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
"85.07			Electric accumulators, including separators therefor, whether or not rectangular (including square)		
	8507.10	5	- Lead-acid, of a kind used for starting piston engines	u	5%
	8507.20	8	- Other lead-acid accumulators	u	free
	8507.30	4	- Nickel-cadmium	u	free
	8507.40	9	- Nickel-iron	u	free
	8507.80	7	- Other accumulators	u	free
	8507.90	1	- Parts	kg	free"
85.09			By the substitution for subheadings Nos. 8509.30, 8509.40 and 8509.80 of the following:		
	"8509.30	1	- Kitchen waste disposers	u	free
	8509.40	6	- Food grinders and mixers; fruit or vegetable juice extractors	u	free
	8509.80	4	- Other appliances	u	free"
85.10, 85.11, 85.12 and 85.13			By the substitution for headings Nos. 85.10, 85.11, 85.12 and 85.13 of the following:		
"85.10			Shavers, hair clippers and hair-removing appliances, with self-contained electric motor;		
	8510.10	2	- Shavers	u	free
	8510.20	7	- Hair clippers	u	free
	8510.30	1	- Hair removing appliances	u	free
	8510.90	9	- Parts	kg	free

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
85.11			Electrical ignition or starting equipment of a kind used for spark-ignition or compression-ignition internal combustion engines (for example, ignition magnetos, magneto-dynamos, ignition coils, sparking plugs and glow plugs, starter motors); generators (for example, dynamos, alternators) and cut-outs of a kind used in conjunction with such engines:		
	8511.10		- Sparking plugs:		
	.10	3	- - Identifiable for use solely or principally with aircraft or tractor engines	u	free
	.90	1	- - Other	u	10%
	8511.20	0	- Ignition magnetos;	u	free
	8511.30		- Distributors, ignition coils;		
	.30	7	- - Distributors and ignition coils, identifiable for use solely or principally with motor vehicle engines	u	17%
	.90	0	- - Other	u	free
	8511.40		- Starter motors and dual purpose starter-generators:		
	.15	8	- - Identifiable for use solely or principally with motor vehicle engines	u	17%
	.90	5	- - Other	u	free
	8511.50		- Other generators:		
	.20	9	- - Identifiable for use solely or principally with motor vehicle engines	u	17%

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	.90	7	- - Other	u	free
	8511.80	8	- Other equipment	u	free
	8511.90	2	- Parts	kg	free
85.12			Electrical lighting or signalling equipment (excluding articles of heading No. 85.39), windscreen wipers, defrosters and demisters, of a kind used for cycles or motor vehicles:		
	8512.10	1	- Lighting or visual signalling equipment of a kind used on bicycles	u	free
	8512.20	4	- Other lighting or visual signalling equipment	u	17%
	8512.30	9	- Sound signalling equipment	u	17%
	8512.40	3	- Windscreen wipers, defrosters and demisters	u	15%
	8512.90	6	- Parts kg	free	
85.13			Portable electric lamps designed to function by their own source of energy (for example, dry batteries, accumulators, magnetos) (excluding lighting equipment of heading No. 85.12):		
	8513.10	3	- Lamps	u	free
	8513.90	6	- Parts	kg	free"
85.16			By the substitution for subheading No. 8516.29.10 of the following:		
	“.10	3	- - - Electric radiators	u	24%"
			By the substitution for subheading No. 8516.33 of the following:		

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	"8516.33	2	- - Hand-drying apparatus	u	24%"
			By the substitution for subheadings Nos. 8516.50, 8516.60 and 8516.7 of the following:		
	"8516.50	2	- Microwave ovens	u	24%
	8516.60	7	- Other ovens; cookers, cooking plates, boiling rings, grillers and roasters	u	24%
	8516.7		- Other electro-thermic appliances:		
	8516.71	8	- - Coffee or tea makers	u	24%
	8516.72	4	- - Toasters	u	24%
	8516.79	9	- - Other	u	24%
			By the substitution for subheading No. 8516.80.10 of the following:		
	".10	3	- - Identifiable for use solely or principally with domestic stoves, hot-plates and ovens	u	24%"
			By the substitution for subheading No. 8516.90.30 of the following:		
	".30	2	- - For other electro-thermic appliances of a kind used for domestic purposes	kg	24%"
85.24			By the substitution for heading No. 85.24 of the following:		
"85.24			Records, tapes and other recorded media for sound or other similarly recorded phenomena, including matrices and masters for the production of records (excluding products of Chapter 37):		

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	8524.10	9	- Gramophone records	u	free
	8524.3		- Discs for laser read- ing systems:		
	8524.31	5	- - For reproducing phe- nomena (excluding sound or image)	u	free
	8524.32	1	- - For reproducing sound only	u	free
	8524.39	6	- - Other	u	free
	8524.40	3	- Magnetic tapes for reproducing phenomena (excluding sound or image)	u	free
	8524.5		- Other magnetic tapes:		
	8524.51	4	- - Or a width not excee- ding 4 mm	u	free
	8524.52	0	- - Of a width exceeding 4 mm but not excee- ding 6,5 mm	u	free
	8524.53	7	- - Of a width exceeding 6,5 mm	u	free
	8524.60	2	- Cards incorporating a magnetic stripe	u	free
	8524.9		- Other:		
	8524.91	2	- - For reproducing phe- nomena (excluding sound image)	u	free
	8524.99	3	- - Other	u	free"
85.28			By the substitution for subheading No. 8528.12.90 of the following:		
	".90	2	- - Other	u	30%"
			By the substitution for subheading No. 8528.13.90 of the following:		

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	“.90	9	- - Other	u	30%”
			By the substitution for subheading No. 8528.21.90 of the following:		
	“.20	5	- - - With screen size not exceeding 3 m x 4 m	u	30%”
85.29, 85.30 and 85.31			By the substitution for headings Nos. 85.29, 85.30 and 85.31 of the following:		
“85.29			Parts suitable for use solely or principally with the apparatus of heading Nos. 85.25 to 85.28:		
	8529.10	8	- Aerials and aerial reflectors of all kinds; parts suitable for use therewith	kg	free
	8529.90		- Other:		
	.20	9	- - Cabinets for televi- sion receiving sets	kg	free
	.50	0	- - Filters or separators, for television receiving set aerials	kg	free
	.60	8	- - Tuners (very high frequency or ultra- high frequency) and tuner control devices, for television recei- ving sets	kg	free
	.70	5	- - Parts of moulded plastics or base metal, not incorpo- rating electronic components, for tele- vision receiving sets	kg	free
	.80	2	- - Other parts for tele- vision receiving sets	kg	30%
	.90	9	- - Other	kg	free

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
85.30			Electrical signalling, safety or traffic control equipment for railways, tramways, roads, inland waterways, parking facilities, port installations or airfields (excluding those of heading No. 85.08):		
	8530.10	8	- Equipment for railways or tramways	u	free
	8530.80	7	- Other equipment	u	10%
	8530.90		- Parts:		
	.10	1	- - For equipment for railways	kg	free
	.90	4	- - Other	kg	10%
85.31			Electric sound or visual signalling apparatus (for example, bells, sirens, indicator panels, burglar or fire alarms) (excluding those of heading No. 85.12 or 85.30):		
	8531.10	1	- Burglar or fire alarms and similar apparatus	u	free
85.32			By the substitution for subheading No. 8532.10 of the following:		
	"8532.10		- Fixed capacitors designed for use 50/60 Hz circuits and having a reactive power handling capacity of not less than 0,5 kVar (power capacitors):		
	.10	2	- - Of a capacitance exceeding 50 microfarads, for voltages not exceeding 1000 V (DC) (excluding electrolytic capacitors)	kg	free

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
85.35	.20	9	-- Other, for voltages exceeding 1 000 V (AC) or 2000 V (DC)	kg	free
	.90	0	-- Other By the substitution for subheading No. 8532.90.10 of the following:	kg	19%''
	''10	9	-- Windings By the substitution for subheading No. 8535.21.05 of the following:	kg	19%
	''05	8	--- With moulded casings of plastics, with a current rating not exceeding 1 250 A, for a voltage not exceeding 1 250 V, for a voltage not exceeding 1,1 kV (AC) or 125 V per pole (DC) and a breaking capacity rating not exceeding 100 000 A By the substitution for subheading No. 8535.30.05 of the following:	kg	19%''
	''50	6	-- Isolating switches, with moulded casings of plastics, with a current rating not exceeding 1 250 A, for a voltage not exceeding 1 100 V (AC) or 125 V per pole (DC) and a breaking capacity rating not exceeding 100 000 A By the substitution for subheading No. 8535.90.10 of the following:	kg	19%
	''10	3	-- Switch cover plates; apparatus connectors	kg	17%''

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
85.36			By the substitution for heading No. 85.36 of the following:		
"85.36			Electrical apparatus for switching or protecting electrical circuits, or for making connections to or in electrical circuits (for example, switches, relays, fuses, surge suppressors, plugs, sockets, lampholders, junction boxes), for a voltage not exceeding 1 000 V:		
	8536.10	7	- Fuses	kg	free
	8536.20		- Automatic circuit breakers:		
	.15	2	-- With casings of plastics or other insulating material, with a current rating not exceeding 800 A	kg	15%
	.90	4	-- Other	kg	free
	8536.30		- Other apparatus for protecting electrical circuits:		
	.10	6	-- Identifiable for use solely or principally with radio, radar, television, radio-telephonic apparatus	kg	10%
	.20	3	-- Identifiable for use solely or principally with motor vehicles	kg	10%
	.30	0	-- Switch fuses, for a voltage of less than 500 V	kg	10%
	.90	4	-- Other	kg	5%
	8536.30		- Other apparatus for protecting electrical circuits:		

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	.10	6	-- Identifiable for use solely or principally with radio, radar, television, radio-telephonic apparatus	kg	10%
	.20	3	-- Identifiable for use solely or principally with motor vehicles	kg	10%
	.30	0	-- Switch fuses, for a voltage of less than 500 V	kg	10%
	.90	4	-- Other	kg	5%
8536.4			- Relays:		
8536.41			-- For a voltage not exceeding 60 V:		
	.10	7	--- Earth leakage relays, with a sensitivity not exceeding 1 000 mA	kg	5%
	.20	4	--- Electro-magnetic and permanent magnet relays	kg	5%
	.30	1	--- Thermo-electric relays incorporating bimetal elements	kg	5%
	.80	8	--- Other, of a value for duty purposes of UA 250 or more	kg	5%
	.90	5	--- Other		
8536.49			-- Other:		
	.10	8	--- Earth leakage relays, for a voltage not exceeding 660 V with a sensitivity not exceeding 1 000 mA	kg	5%
	.20	5	--- Electro-magnetic and permanent magnet relays	kg	5%

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	.30	2	- - - Thermo-electric relays incorpora- ting bimetal elements	kg	5%
	.80	9	- - - Other, of a value for duty purposes of UA 250 or more	kg	5%
	.90	6	- - - Other	kg	10%
8536.50			- Other switches:		
	.25	3	- - Identifiable for use solely or principally with motor vehicles, domestic stoves and hot-plates	kg	free
	.40	7	- - Identifiable for use or principally with rail locomotives and railway rolling-stock	kg	free
	.50	4	- - Other, with moulded casings of plastics or other insulating material, with a current rating not exceeding 800 A	kg	15%
	.90	3	- - Other	kg	5%
8536.6			- Lamp-holders, plugs and sockets:		
8536.61			- - Lamp-holders:		
	.10	6	- - - Identifiable for use solely or principally with radio, radar, tele- vision, radio-tele- graphic or radio telephonic apparatus	kg	free
	.20	3	- - - Identifiable for use solely or principally with motor vehicles	kg	10%
	.30	0	- - - Other, for fluore- cent lamps	kg	10%
	.40	8	- - - Other for a voltage of less than 500 V	kg	10%

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	.90	4	- - - Other	kg	5%
	8536.69		- - Other:		
	.10	7	- - - Identifiable for use solely or principally with radio, radar, tele- vision, radio-tele- graphic or radio- telephonic appara- tus	kg	10%
	.30	1	- - - Other, identifiable for use solely or principally with motor vehicles	kg	10%
	.50	6	- - - Other, for a voltage of less than 500 V	kg	10%
	.90	5	- - - Other	kg	5%
	8536.90		- Other apparatus:		
	.10	3	- - Identifiable for use solely or principally with radio, radar, television, radio- telegraphic or radio- telephonic apparatus	u	free
	.20	0	- - Identifiable for use solely or principally with motor vehicles	kg	10%
	.30	8	- - Apparatus connectors; switch cover plates	kg	10%
	.40	5	- - Terminals, terminal strips and other metal parts for the reception of conduc- tors or cables, iden- tifiable for use solely or principally with domestic stoves and hot-plates	kg	10%
	.90	1	- - Other	kg	5%

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
85.37			By the substitution for subheading No. 8537.10 of the following:		
	"8537.10		- For a voltage not exceeding 1 000 V:		
	.20	8	- - Identifiable for use solely or principally with motor vehicles	kg	17%
	.30	5	- - Equipped with apparatus of subheading No. 8536.20.15 or 8536.50.50	u	15%
	.90	9	- - Other	u	5%"
85.38 and 85.39			By the substitution for headings Nos. 85.38 of the following:		
"85.38			Parts suitable for use solely or principally with the apparatus of heading No. 85.35, 85.36 or 85.37:		
	8538.10	7	- Boards, panels, consoles, desks, cabinets and other bases for the goods of heading No. 85.37, not equipped with their apparatus	kg	free
	8538.90		- Other:		
	.45	3	- - for circuit breakers and isolating switches, with moulded casings of plastics, with a current rating not exceeding 1 250 A, for a voltage not exceeding 1 100 V (AC) or 125 V per pole (DC) and a breaking capacity rating not exceeding 100 000 A	kg	18%
	.48	8	- - For other automatic circuit breakers for a voltage exceeding 1 kV	kg	12%
	.90	9	- - Other	kg	free

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
85.39			Electric filament or discharge lamps, including sealed beam lamp units and ultra-violet or infra-red lamps; arc-lamps:		
	8539.10	0	- Sealed beam lamp units	u	20%
	8539.2		- Other filament lamps (excluding ultra-violet or infra-red lamps):		
	8539.21		- - Tungsten halogen:		
	.20	6	- - - Identifiable for use solely or principally with motor vehicles	u	22%
	.45	1	- - - Other, of a power of 15 W or more but not exceeding 1 000 W and for a voltage exceeding 100 V but not exceeding 260 V	u	20% or 85c each less 80% with a maximum of 32%
	.90	7	- - - Other	u	free
	8539.22		- - Other, of a power not exceeding 200 W and for a voltage exceeding 100 V:		
	.20	2	- - - Projector lamps	u	free
	.45	8	- - - Other, of a power of 15 W or more and for a voltage not exceeding 260 V	u	20% or 85c each less 80% with a maximum of 32%
	.90	3	- - - Other	u	20%
	8539.29		- - Other:		
	.10	1	- - - Carbon filament lamps	u	free
	.15	0	- - - Projector lamps	u	free
	.20	7	- - - Radiator lamps	u	free
	.25	8	- - - Torch lamps	u	free

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	.45	2	- - - Lamps, identifiable for use solely or principally with motor vehicles	u	22%
	.50	9	- - - Other, vacuum type, of less than 15 w	u	20%
	.57	6	- - - Other, of a power exceeding 200 W but not exceeding 1 000 W and for a voltage exceeding 100 V but not exceeding 260 V	u	20% or 85c each less 80% with a maximum of 32%
	.60	6	- - - Other, not exceeding 100 W, identifiable for use solely or principally in headlamps for miners	u	free
	.90	8	- - - Other	u	20%
8539.3			- Discharge lamps		
8539.31			- - Fluorescent, hot cathode:		
	.45	6	- - - Linear (excluding mercury vapour lamps) of a length of 600 mm or more but not exceeding 2 500 mm, of a diameter of 25 mm or more but not exceeding 40 mm and of 25 mm or more but not exceeding 105 W	u	20%
	.90	1	- - - Other	u	15%
8539.32			- - Mercury or sodium vapour lamps; metal halide lamps:		
	.45	2	- - - Fluorescent lamps, linear (excluding mercury vapour lamps) of a length of 600 mm or more	u	20%

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
			but not exceeding 2 500 mm, of a dia- meter of 25 mm or more but not excee- ding 40 mm and of 20 W or more but not exceeding 105 W		
	.90	8	- - - Other	u	15%
	8539.39		- - Other:		
	.45	7	- - - Fluorescent lamps, linear (excluding mercury vapour lamps) of a length of 600 mm or more but not exceeding 2 500 mm, of a diameter of 25 mm or more but not exceeding 40 mm and of 20 W or more but not exceeding 105 W	u	20%
	.90	2	- - - Other	u	15%
8539.4			Ultra-violet or infra- red lamps; arc-lamps:		
	8539.41	0	- - Arc lamps	u	20%
	8539.49		- - Other:		
	.10	9	- - - Ultra-violet lamps	u	15%
	.20	6	- - - Infra-red lamps	u	20%
	8539.90	7	- Parts	kg	15%
85.40			By the substitution for subheadings Nos. 8504.20, 8540.40, 8540.50, 8540.60, 8540.7 and 8540.8 of the following:		
	"8540.20	5	- Television camera tubes; image converters and intensifiers; other photo-cathode tubes	u	free
	8540.40	4	- Data/graphic display tubes, colour with a phosphor dot screen pitch smaller than 0,4 mm	u	free

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	8540.50	9	- Data/graphic display tubes, black and white or other monochrome	u	free
	8540.60,	3	- Other cathode-ray tubes	u	free
	8540.7		- Microwave tubes (for example, magnetrons, klystrons, travelling wave tubes, cacinotrons) (excluding grid-controlled tubes):		
	8540.71	4	- - Magnetrons	u	free
	8540.72	0	- - Klystrons	u	free
	8540.79	5	- - Other	u	free
	8540.8		- Other valves and tubes:		
	8540.81	9	- - Other valves and tubes: Receiver or amplifier valves and tubes	u	free
	8540.89	3	- - Other	u	free
	8540.9		- Parts:		
	8540.91	3	- - Of cathode-ray tubes	kg	5%"
	8540.99	4	- - Other	kg	5%"
85.43			By the substitution for subheading No. 8543.90 of the following:		
	"8543.90	8	- Parts	kg	free"
85.44			By the substitution for subheading No. 8544.1 of the following:		
	"8544.1		- Winding wire:		
	8544.11	1	- - Of copper	kg	17%
	8544.19	2	- - Other	kg	17%"
85.45, 85.46, 85.47 and 85.48			By the substitution for headings Nos. 85.45, 85.46, 85.47 and 85.48 of the following:		

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
85.45			Carbon electrodes, carbon brushes, lamp carbons, battery carbons and other articles of graphite or other carbon, with or without metal, of a kind used for electrical purposes:		
	8545.1		- Electrodes:		
	8545.11	5	- - Of a kind used for furnaces	kg	free
	8545.19	6	- - Other	kg	free
	8545.20	3	- Brushes	kg	free
	8545.90	5	- Other	kg	free
85.46			Electrical insulators of any material:		
	8546.10	2	- Of glass	kg	free
	8546.20	7	- Of ceramics	kg	free
	8546.90	9	- Other	kg	free
85.47			Insulating fittings for electrical machines, appliances or equipment, being fittings wholly of insulating material apart from any minor components of metal (for example, threaded sockets) incorporated during moulding solely for purposes of assembly (excluding insulators of heading No. 85.46); electrical conduit tubing therefor, of base metal lined with insulating material:		
	8547.10	6	- Insulating fittings of ceramics	kg	free
	8547.20	0	- Insulating fittings of plastics	kg	free
	8547.90	2	- Other	kg	free

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
85.48			Waste and scrap of primary cells, primary batteries and accumulators; spent primary cells, spent primary batteries and spent electric accumulators, electrical parts of machinery or apparatus, not elsewhere specified or included elsewhere in this chapter:		
	8548.10	5	-Waste and scrap of primary cells, primary batteries and electric accumulators; spent primary cells, spent primary batteries and spent electric accumulators	kg	free
	8548.90	6	- Other	kg	free"

MADE this 29th day of April, 1997.

F. G. MOGAE,
*Vice-President and Minister of Finance and
Development Planning.*