

CUSTOMS AND EXCISE DUTY ACT
(Cap. 50:01)

AMENDMENT OF SCHEDULES (NO. 7) NOTICE, 1997
(Published on 11th April, 1997)

IN EXERCISE of the powers conferred on the Minister of Finance and Development Planning by sections 52 and 53 of the Customs and Excise Duty Act, the Schedules to the Act are proposed to be amended to the extent set out in the Schedule below.

Schedule No. 1 to the Act

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
04.08			By the substitution for heading No. 04.08 of the following:		
“04.08			Bird’s eggs, not in shell, and egg yolks, fresh, dried, cooked by steaming or by boiling in water, moulded, frozen or otherwise preserved, whether or not containing added sugar or other sweetening matter:		
	0408.1		- Egg yolks:		
	0408.11	8	- - Dried	kg	22%
	0408.19	9	- - Other	kg	22%
	0408.9		- Other:		
	0408.91	4	- - Dried	kg	22%
	0408.99	5	- - Other	kg	22%”
73.01			By the substitution for heading 73.01 of the following:		
“73.01			Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections of iron or steel:		

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
73.04	7301.10	1	- Sheet piling	kg	5%
	7301.20	6	- Angles, shapes and sections	kg	14%”
			By the substitution for subheading No. 7304.10.90 of the following:		
	“.90	8	- - Other	kg	12%”
			By the substitution for subheading No. 7304.21.90 of the following:		
73.05, 73.06, 73.07, 73.08, 73.09, 73.10, 73.11 and 73.12	“.90	2	- - - other	kg	12%”
			By the substitution for subheading No. 7304.29.90 of the following:		
	“.90	6	- - - Other	kg	12%”
			By the substitution for headings Nos. 73.05, 73.06, 73.07, 73.08, 73.09, 73.10, 73.11 and 73.12 of the following:		
			Other tubes and pipes (for example, welded, riveted or similarly closed), having circular cross-sections, the external diameter of which exceeds 406,4 mm, of iron or steel:		
“73.05	7305.1		- Line pipe of a kind used for oil or gas pipelines:		
	7305.11	2	- - Longitudinally submerged arc welded	kg	12%
	7305.12	9	- - Other, longitudinally welded	kg	12%
	7305.19	3	- - Other	kg	12%

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	7305.20	0	- Casing of a kind used in drilling for oil or gas	kg	12%
	7305.3		- Other, welded:		
	7305.31		- - Longitudinally welded:		
	.10	9	- - - High-pressure hydro-electric conduits, of steel, with an internal cross-sectional dimension exceeding 400 mm and a wall thickness exceeding 10,5 mm	kg	free
	.90	7	- - - Other	kg	12%
	7305.39		- - Other:		
	.10	7	- - - High-pressure hydro-electric conduits, of steel, with an internal cross-sectional dimension exceeding 400 mm and a wall thickness exceeding 10,5 mm	kg	free
	.90	8	- - - Other	kg	12%
	7305.90		- Other:		
	.10	7	- - High-pressure hydro-electric conduits, of steel, with an internal cross-sectional dimension exceeding 400 mm and a wall thickness exceeding 10,5 mm	kg	free
	.90	8	- - Other	kg	12%
73.06			Other tubes, pipes and hollow profiles (for example, open seam or welded, riveted or similarly closed), of iron or steel:		

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
73.07	7306.10	1	- Line pipe of a kind used for oil or gas pipelines	kg	12%
	7306.20	4	- Casing and tubing of a kind used in drilling for oil or gas	kg	12%
	7306.30	7	- Other, welded, of circular cross-section, of iron or non-alloy steel	kg	12%
	7306.40	3	- Other, welded, of circular cross-section, of stainless steel	kg	12%
	7306.50	8	- Other, welded, of circular cross-section, of other alloy steel	kg	12%
	7306.60	2	- Other, welded, of non-circular cross-section	kg	12%
	7306.90	6	- Other	kg	12%
			Tube or pipe fittings (for example, couplings, elbows, sleeves), of iron or steel:		
	7307.1		- Cast fittings:		
	7307.11		- - Of non-malleable cast iron:		
	.10	7	- - - For use with down pipes and gutter pipes	kg	12%
	.90	5	- - - Other	kg	2%
	7307.19		- - Other:		
	.10	8	- - - For use with down pipes and gutter pipes	kg	12%
	.80	9	- - - Other, of cast iron	kg	12%
	.90	6	- - - Other	kg	2%
	7307.2		- Other, of stainless steel:		

HEADING	SUB- HEADING	C D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	7307.21		- - Flanges:		
	.10	1	- - - For use with down pipes and gutter pipes	kg	12%
	.90	7	- - - Other	kg	2%
	7307.22		- - Threaded elbows, bends and sleeves:		
	.10	8	- - - For use with down pipes and gutter pipes	kg	12%
	.90	6	- - - Other	kg	2%
	7307.23		- - Butt welding fittings:		
	.10	4	- - - For use with down pipes and gutter pipes	kg	12%
	.90	2	- - - Other	kg	2%
	7307.29		- - Other:		
	.10	2	- - - For use with down pipes and gutter pipes	kg	12%
	.90	0	- - - Other	kg	2%
	7307.9		- Other:		
	7307.9 1		- - Flanges:		
	.10	3	- - - For use with down pipes and gutter pipes	kg	12%
	.20	0	- - - For use with electrical wiring conduit	kg	14%
	.30	8	- - - Slip-on type, of an inside cross- sectional dimension of 400 mm or more but not exceeding 1 200 mm (excluding those for use with electrical wiring conduit, down pipes and gutter pipes)	kg	14%
	.40	5	- - - Other, of an inside cross-sectional	kg	14%

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
			dimension of 400 mm or more but not exceeding 610 mm		
	.90	1	- - - Other	kg	2%
	7307.92		- - Threaded elbows, bends and sleeves:		
	.10	5	- - - For use with down pipes and gutter pipes	kg	12%
	.20	7	- - - For use with electrical wiring conduit	kg	14%
	.30	4	- - - Branch pipe pieces and Y-pieces, for use with pipes of an inside diameter not exceeding 30 mm (excluding those for use with electrical wiring conduit, down pipes and gutter pipes)	kg	12%
	.90	8	- - - Other	kg	2%
	7307.93		- - Butt welding fittings:		
	.10	6	- - - For use with down pipes and gutter pipes	kg	12%
	.20	3	- - - For use with electrical wiring conduit	kg	14%
	.30	0	- - - Branch pipe pieces and Y-pieces, for use with pipes of an inside diameter not exceeding 30 mm (excluding those for use with electrical wiring conduit, down pipes and gutter pipes)	kg	12%
	.90	4	- - - Other	kg	2%
	7307.99		- - Other:		

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	.10	4	- - - For use with down pipes and gutter pipes	kg	12%
	.20	1	- - - For use with electrical wiring conduit	kg	14%
	.30	.9	- - - Branch pipe pieces and Y-pieces, for use with pipes of an inside diameter not exceeding 30 mm (excluding those for use with electrical wiring conduit, down pipes and gutter pipes)	kg	12%
	.90	2	- - - Other	kg	2%
73.08			Structures (excluding prefabricated buildings of heading No. 94.06) and parts of structures (for example, bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns), of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel:		
	7308.10	7	- Bridges and bridge-sections	kg	17%
	7308.20		- Towers and lattice masts:		
	.10	9	- - Lattice masts for telegraph lines or electric power lines	kg	free
	.90	7	- - Other	kg	17%
	7308.30		- Doors, windows and their frames and thresholds for doors:		

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	.10	3	- - Doors or gates for lifts	kg	free
	.90	1	- - Other	kg	17%
	730840		- Equipment for scaffold- ing, shuttering, propping or pit- propping:		
	.10	8	- - Mining appliances	kg	free
	.90	6	- - Other	kg	17%
	7308.90		- Other:		
	.30	5	- - Spiral chutes; smoke stacks	kg	free
	.90	9	- - Other	kg	17%
73.09	7309.00	6	Reservoirs, tanks, vats and similar containers for any material (exclud- ing compressed or liquefied gas), of iron or steel, of a capacity exceeding 300 l, whether or not lined or heat- insulated, but not fitted with mechanical or thermal equipment	kg	free
73.10			Tanks, Casks, drums, cans, boxes and similar containers, for any material (excluding compressed or liquefied gas), of iron or steel, of a capacity not exceeding 300 l, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment:		
	7310.10	0	- Of a capacity of 50 l or more	kg	free
	7310.2		- Of a capacity or less than 50 l:		
	7310.21	1	- - Cans which are to be closed by soldering or crimping	kg	free
	7310.29	2	- - Other	kg	free

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
73.11	7311.00	4	Containers for compressed or liquefied gas, of iron steel		
73.12			Stranded wire, ropes, cables, plaited bands, slings and the like, of iron or steel, not electrically insulated:		
	7312.10		- Stranded wire, ropes and cables:		
	.15	6	- - Stranded wire, of wire which is plated, coated or clad with tin	kg	free
	.20	2	- - Other stranded wire	kg	5%
	.25	3	- - Ropes and cables, of wire which is not plated, coated or clad	kg	5%
	.40	7	- - Ropes and cables, of wire which is plated, coated or clad with zinc	kg	5%
	.90	3	- - Other	kg	free
	7312.90	4	- Other	kg	free"
73.14			By the substitution for heading No. 73.14 of the following:		
"73.14			Cloth (including endless bands), grill, netting, and fencing, of iron or steel wire, expanded metal of iron or steel:		
	7314.1		- Woven cloth:		
	7314.12		- - Endless bands for machinery, of stainless steel:		
	.10	5	- - - With 4 or more but not exceeding 10 apertures per cm in the warp as well as in the weft	kg	5%

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	.20	2	- - - With more than 10 but not exceeding 80 apertures per cm in the weft	kg	5%
	90	3	- - - Other	kg	free
	7314.13		- - Other endless bands for machinery:		
	.10	1	- - - With more than 10 but not exceeding 80 apertures per cm in the warp as well as in the weft	kg	5%
	.90	8	- - - Other	kg	free
	7314.14		- - Other woven cloth, of stainless steel:		
	.10	8	- - - Insect screening, being woven wire with 5 or more but not exceeding 7 apertures per cm in the ward as well as in the weft, woven from wire of a cross-sectional dimension not exceeding 0,32 mm	kg	5%
	.20	5	- - - With 4 or more but not exceeding 10 apertures per cm in the warp as well as in the weft (excluding insect screening)	kg	5%
	.30	2	- - - With more than 10 but not exceeding 80 apertures per cm in the warp as well as in the weft	kg	5%
	.90	6	- - - Other	kg	free
	7314.19		- - Other:		
	.20	7	- - - Insect screening, being woven wire wire materials with 5 or more but not exceeding 7 aper-	kg	5%

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
			tures per cm in the warp as well in the weft, woven from wire of a cross-sectional dimension not exceeding 0,32 mm		
	.30	4	- - - With 4 or more but not exceeding 10 apertures per cm in the warp as well as in the weft (exclu- ding insect screen- ing)	kg	5%
	.40	1	- - - With more than 10 but not excceding 80 apertures per cm in the warp as well as in the weft	kg	5%
	.90	8	- - - Other	kg	free
7314.20		1	- Grill, netting and fencing, welded at the intersection, of wire with a maximum cross- sectional dimension of 3mm or more and having a mesh size of 100 cm ² or more	kg	5%
7314.3			- Other grill, netting and fencing, welded at the intersection:		
7314.31		0	- - Plated or coated with zinc	kg	5%
7314.39		1	- - Other	kg	5%
7314.4			- Other cloth, grill, netting and fencing:		
7314.41		5	- - Plated or coated with zinc	kg	5%
7314.42		1	- - Coated with plastics	kg	5%
7314.49		6	- - Other	kg	5%
7314.50		3	- Expanded metal	kg	5%''

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
73.15			By the substitution for subheading No. 7315.1 of the following:		
	“7315.1		- Articulated link chain and parts thereof:		
	7315.11		- - Roller chain:		
	.10	2	- - - Bush roller conveyor chain of a mass of 20 kg/m or more but not exceeding 50 kg/m	kg	10%
	.90	0	- - - Other	kg	free
	7315.12		- - Other chain:		
	.35	4	- - - Articulated conveyor chain, of a mass of 0.8 kg/m or more but not exceeding 1,4 kg/m and a width of 50 mm or more but not exceeding 80 mm	kg	10%
	.90	7	- - - Other	kg	free
	7315.19		- - Parts:		
	.10	3	- - - Of bush roller conveyor chain, the following, by mass per piece: pins - exceeding 300 g, bushes - exceeding 190 g, rollers - exceeding 800 g and side plates - exceeding 950 g	kg	10%
	.90	1	- - - Other	kg	free”
			By the substitution for subheading No. 7315.89.90 of the following:		
	“.90	3	- - - Other	kg	10%”
			By the substitution for subheading No. 7315.90.90 of the following:		

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	“.90	0	- - Other	kg	10%”
73.16			By the susbtitution for heading No. 73.16 of the following:		
“73.16	7316.00	8	Anchors, grapnels and parts thereof, of iron or steel	kg	free”
73.17			By the susbtitution for subheadings Nos. 7317.00.15 and 7317.00.40 of the following:		
	“.15	9	- Drawing pins; corrugated nails	kg	14%
	.40	0	- Staples	kg	17%”
73.18			By the susbtitution for subheading No. 7318.13 of the following:		
	“7318.13	9	- - Screw hooks and screw rings	kg	14%”
			By the substitution for subheading No. 7318.15.90 of the following:		
	“.90	7	- - - Other	kg	14%”
			By the substitution for subheading no. 7318.16.90 of the following:		
	“.90	3	- - - Other	kg	14%
			By the substitution for subheading No. 7318.21.10 of the following:		
	“.10	8	- - - Spring washers, split or double-coiled	kg	14%”
73.19			By the substitution for heading No. 73.19 of the following:		
“73.19			Sewing needles, knitting needles, bodkins, crochet hooks, embroidery stiletos and similar articles, for use in the hand, of iron or steel;		

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
			safety pins and other pins of iron or steel, not elsewhere specified or included:		
	7319.10	3	- Sewing, darning or embroidery needles	kg	free
	7319.20	8	- Safety pins	kg	free
	7319.30	2	- Other pins	kg	free
	7319.90	4	- Other	kg	free”
73.21			By the substitution for subheading No. 7321.1 of the following:		
	“7321.1		- Cooking appliances and plate warmers:		
	7321.11	3	- - For gas fuel or for both gas and other fuels	u	15%
	7321.12	2	- - For liquid fuel	u	15%
	7321.13	6	- - For solid fuel	u	15%”
			By the substitution for subheading No. 7321.90 of the following:		
	“7321.90	3	- Parts	kg	15%”
73.22			By the substitution for subheading No. 7322.90 of the following:		
	“7322.90	7	- Other	kg	15%”
73.23			By the substitution for subheading No. 73.23 of the following:		
“73.23			Table, kitchen or other household articles and parts thereof, of iron or steel; iron or steel wool; pot scourers and scouring or polishing pads, gloves and the like, of iron or steel:		

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	7323.10	4	- Iron or steel wool; pot scourers and scouring or polishing pads, gloves and the like	kg	20%
	7323.9		- Other:		
	7323.91	7	- - Of cast iron, not enamelled	kg	20%
	7323.92	3	- - Of cast iron, enamelled	kg	20%
	7323.93	6	- - Of stainless steel	kg	20%
	7323.94	6	- - Of iron (excluding cast iron) or steel, enamelled	kg	20%
	7323.99	8	- - Other	kg	20%”
73.24			By the substitution for subheading No. 7324.90 of the following:		
	“7324.90	4	- Other, including parts	kg	20%”
73.25 and 73.26			By the substitution for headings Nos. 73.25 and 73.26 of the following:		
“73.25			Other cast articles of iron or steel:		
	7325.10	1	- Of non-malleable cast iron	kg	free
	7325.9		- Other:		
	7325.91	4	- - Grinding balls and similar articles for mills	kg	free
	7325.99	5	- - Other	kg	free
73.26			Other articles of iron or steel:		
	7326.1		- Forged or stamped, but not further worked:		
	7326.11	1	- - Grinding balls and similar articles for mills	kg	free

HEADING	SUB- HEADING	C. D.	ARTICLE DESCRIPTION	STATIS- TICAL UNIT	RATE OF DUTY
	7326.19	2	- - Other	kg	free
	7326.20		- Articles or iron or steel wire:		
	.10	7	- - Gabions of wire netting	kg	free
	.30	1	- - Calyx supports, commonly used by florists with carnations	kg	free
	.40	9	- - Tobacco leaf harvesting and curing appliances with spiral clips	kg	free
	.50	6	- - Hose clamps	kg	free
	.90	5	- - Other	kg	15%
	7326.90	1	- Other	kg	free"

MADE this 18th day of March, 1997.

F.G. MOGAE,
*Vice-President and Minister of Finance and
Development Planning.*